

# Improving Zr cross sections: ${}^{90}$ Zr $(n, \gamma)$

Jesse Brown\*, Klaus Guber\*, Carlos Paradela†, Peter Schillebeeckx†, Stefan Kopecky†

\*Nuclear Energy and Fuel Cycle Division, Oak Ridge National/Laboratory

<sup>†</sup>Nuclear Physics Unit, EC-JRC Geel

Cross Section Evaluation Working Group (CSEWG) Meeting, Nuclear Data Week, BNL, Oct. 31– Nov. 4, 2022

ORNL is managed by UT-Battelle, LLC for the US Department of Energy




#### Zr Measurements and Evaluation

- Goal: Improve the 90,91,92,94Zr resonance parameters
- Investigating:
  - Comparison to ENDF/B-VIII.0
  - Discrepancies with previous data
- Evaluation potentially using:
  - Harvey/De 1975 (ORNL transmission measurements)
  - Tagliente 2008



#### Existing Zr-90 measurements

- 2 high-resolution capture measurements
  - Tagliente et al. 2008
    - ZrO<sub>2</sub> sample
    - Enrichment 97%
    - n = 0.0035 [at/b]
    - FP: 185 m
  - Bartolome et al. 1969
    - ZrO<sub>2</sub> sample
    - Enrichment: 97%
    - n = 0.0109 [at/b]
    - FP: 25 m
    - questionable energies
    - No uncertainty
  - Boldeman et al. 1975
    - Only res. widths & publication






Bartolome: https://www.tandfonline.com/doi/pdf/10.13182/NSE69-A20905 Tagliente: https://journals.aps.org/prc/pdf/10.1103/PhysRevC.77.035802

### Existing Zr-90 measurements


- 1 set of high-resolution transmission measurements
  - Harvey/De 1975
    - Metallic Zr
    - Enrichment: 97%
    - n = 0.0827 [at/b]
    - FP: 80 m
    - FP: 200 m





# Recent GELINA measurements: ${}^{90}$ Zr(n, $\gamma$ ) and ${}^{90}$ Zr(n,tot)

- Metallic Zr
- Enrichment: 97%
- n = 0.0051 [at/b]
- FP: 60 m
- C<sub>6</sub>D<sub>6</sub> capture system






## Recent GELINA measurements: $^{90}$ Zr(n, $\gamma$ ) and $^{90}$ Zr(n,tot)

#### Issues with ENDF/B-VIII.0

- 13.5 keV doublet
- 42.5 keV doublet
- Capture res's
- Spin assignments

#### New data

- Higher resolution
- Higher purity
- Include exp. cov.






## Recent GELINA measurements: $^{90}$ Zr(n, $\gamma$ ) and $^{90}$ Zr(n,tot)

#### Issues with ENDF/B-VIII.0

- 13.5 keV doublet
- 42.5 keV doublet
- Capture res's
- Spin assignments

#### New data

- Higher resolution
- Higher purity
- Include exp. cov.




# Recent GELINA measurements: $^{90}$ Zr(n, $\gamma$ ) and $^{90}$ Zr(n,tot)

#### Issues with ENDF/B-VIII.0

- 13.5 keV doublet
- 42.5 keV doublet
- Capture res's
- Spin assignments

#### New data

- Higher resolution
- Higher purity
- Include exp. cov.





## Key take-aways

- First of 4 isotopes (90,91,92,94) to be measured
- 91 Zr is currently being measured at GELINA
- Once all measurements are done: jointly evaluate with SAMMY
  - Produce new evaluated resonance parameters and covariances
- Grad students
- New data will be used to improve evaluation information, benefitting transport calculations of reactors, waste storage, etc.



#### **Acknowledgments**

- This work was supported by the Nuclear Criticality Safety Program, funded and managed by the National Nuclear Security Administration for the Department of Energy and the Joint Research Center of the European Commission.
- The isotope used in this research was supplied by the U.S. Department of Energy Isotope Program, managed by the Office of Science for Nuclear Physics.