bECAL Fiber Tests @Regina - Update 4

Maggie Kerr, Stjepan Oresic, Love Preet, Aram Teymurazyan, Zisis Papandreou

Presentation to the weekly Barrel ECAL Meeting, August 22, 2023

Timeline - August/September

- Original plan:
 - August 14-18: Kuraray and Luxium fiber testing at Photodiode Station; Npe testing at Npe station
 - August 21-25: Further measurements as needed
 - August 28-September 1: Finalize results for September Review
- Updated Plan:
 - August 21- 25: Npe measurements
 - August 28: Technical report
 - August 29: Presentation to bECAL Group; discussion of results
 - August 30-Sept 4: organization of evidence for Sept 13 Review

Attenuation Length Calculation

- NEW: Adjusted attenuation length calculation method to correspond with Kuraray's documentation:
- Attenuation length of single and double clad fibers should be > 400.0 cm when fit using a single exponential function between 100.0 and 300.0 cm


I - intensity

I₀ - initial intensity

x - distance along fiber


λ - attenuation length

$$I = I_0 \cdot e^{\frac{-x}{\lambda}}$$




Attenuation Length Results - Kuraray Single Clad Fibers

- NKS-004
- New KuraraySingle clad fiber-004
- Single clad attenuation lengths ranged from 430 - 490 cm
- ~3.0% error (LED fluctuations dominate)




Kuraray Single Clad Results




Luxium (Single Clad) Results





Kuraray Double Clad Results



Attenuation Length Comparison (100-300cm)

NKS-00i	λ (cm)	L-00i	λ (cm)	NKD-00i	λ (cm)
001	431±17	001	412±17	001	620±41
002	480±22	002	386±13	002	528±24
003	486±16	003	377±8	003	505±21
004	441±46	004	406±8	004	544±17
005	460±13	005	439±8		
001G	432±27	001G	425±8	001G	641±67
002G	532±42	002G	407±9	002G	529±41
004G	449±17	004G	567±66	004G	531±29


Issues/Observations

- Upwards "bump" at 300.0 cm distance on all Kuraray fiber measurements
 - Fiber coming loose in grove "elasticity memory" from coil
- Inconsistent measurements closer to photodiode
 - LED pulses?; Light reflecting from photodiode screen, LED
 - Covered photodiode, and constructed screen around LED
 - Future measurement: recoupling near photodiode with optical grease
- Kuraray single 50% more light than Luxium with grease; 25-30% without
- Kuraray double 50% more light than Kuraray single with grease
- Luxium numbers have smaller errors; fiber curvature?
- Future: effect of grease & polish can be studied with spectrophotometer

Npe Station


- Use photodiode puck board and runner in coffin, with modifications
- Fiber radius of curvature
- Easy positioning and moving 90Sr
- Machined ⁹⁰Sr holder to be mounted on **new** runner
- Coincidence with PMT
- Measurements started yesterday






Npe Station 90Sr @ 240cm

Mechanical setup not perfected; difficult





SiPM singles


SiPM -PMT coincidences

Next Steps

- Discuss and digest photodiode results: both vendors meet λ specs
- Start Npe measurements (SiPM-PMT coinc) this week with SiPM setup
 - Develop fitting method; 90Sr dE/dx modelled
 - Extract attenuation length from Npe station
 - Attempt absolute light output extraction (Npe)
- Technical report draft ready by August 28 (all photodiode and some Npe)
- New LEDs ordered to scan spectrophotometer calibration (370-520 nm)


Backup Slides

Absolute Readings for Non-Greased and Greased Fibers




No Optical Grease





With Optical Grease


Measurements With Optical Grease




**Different measuring increments used for initial measurements (NKS-001 and NKD-001)


No measurement with optical grease taken

Kuraray Exponential Fit for Photodiode Attenuation Measurement (NKS-001)




No measurement with optical grease taken






No measurement with optical grease taken

Kuraray Exponential Fit for Photodiode Attenuation Measurement (NKS-003)



No measurement with optical grease taken

Kuraray Exponential Fit for Photodiode Attenuation Measurement (NKS-005)




NKD-001

**Different measuring increments used for initial measurements (NKS-001 and NKD-001)

No measurement with optical grease taken


Kuraray Exponential Fit for Photodiode Attenuation Measurement (NKD-001)



NKD-002

No measurement with optical grease taken


Kuraray Exponential Fit for Photodiode Attenuation Measurement (NKD-002)



NKD-003


No measurement with optical grease taken

Kuraray Exponential Fit for Photodiode Attenuation Measurement (NKD-003)




Without optical grease

Kuraray Exponential Fit for Photodiode Attenuation Measurement (L-001)





Kuraray Exponential Fit for Photodiode Attenuation Measurement (L-001G)



With optical grease

Without optical grease







With optical grease


distance (cm)


No measurement with optical grease taken






No measurement with optical grease taken






July 31 - August 4



- Continued measurements with
 Photodiode/Picoammeter Setup
 - Fiber laid in groove of polyethylene tray, polished end touching face of photodiode
 - LED powered by power crate at 3.8 V, which corresponds to ~0.041 A
 - Picoammeter readings taken at 10.0 cm intervals from 10.0 cm to 300.0 cm
- A complete pouch of single and double clad fibers have now been polished and measured
 - One pouch corresponds to five fibers

August 7 - August 11




- **Luxium fibers** arrived!
 - Received 10 fibers
 - Unpolished
 - 435 cm long
- Luxium fibers were polished (x2) using previous Fiber Polishing Station and measurements were carried out using Photodiode/Picoammeter Setup
 - Measurements every 20.0 cm
 from 10.0 cm to 430.0 cm
- Five Luxium fibers have been measured

Reproducibility Tests - 100.0 cm

- 6 measurements @ 100.0 cm on NKS-004 and NKD-004
- Photodiode moved away from fiber and repositioned


Reproducibility Tests for NKS-004 and NKD-004 at 100.0 cm



Reproducibility Tests - 10.0 cm

- 5 measurements @ 10.0 cm on NKS-005 and NKD-004
- Fiber moved away from photodiode and repositioned
- Less consistent at closer distance for both fibers





NKS-005 (single clad)

NKD-004 (double clad)