



Texas A&M Evaluation Center

Precision Internal Conversion Coefficients Measurements Follow-up

Theme: Precision Measurements for USNDP

- Texas A&M Center implied decisively by decade-long program of Internal Conversion Coefficient (ICC) Precision Measurements to guide USNDP for best approach of theoretical ENSDF database ICC values**

				Calculated α_K values:			
	Parent State	Multipolarity	Transition Energy (keV)	Measured α_K	No vacancy	"Frozen Orbitals"	SCF
1	^{93m} Nb	M4	30.760(5)	25600(900)	23960	25990	25440
2	^{103m} Rh	E3	39.752(6)	141.1(23)	131.3	139.4	137.2
3	^{111m} Cd	E3	150.825(15)	1.449(18)	1.425	1.451	1.446
4	^{119m} Sn	M4	65.660(10)	1621(25)	1544	1618	1603
5	^{125m} Te	M4	109.276(15)	185.0(40)	179.5	185.2	184.2
6	^{127m} Te	M4	88.23(7)	484(6)	468.6	486.4	483.1
7	^{134m} Cs	E3	127.502(3)	2.742(15)	2.677	2.741	2.73
8	^{137m} Ba	M4	661.659(3)	0.0915(5)	0.09068	0.0915	0.091
9	^{193m} Ir	M4	80.22(2)	103.0(8)	92.0	103.3	99.7
10	^{197m} Pt	M4	346.5(2)	4.23(7)	4.191	4.276	4.265
				χ^2 :	252	1.5	21.5



Texas A&M Evaluation Center
Precision Internal Conversion Coefficients
Measurements Follow-up

- Covered the interval $93 < A < 197$ of nuclear chart and concluded that the “frozen orbitals” hole calculations are best describing the results.
- However the calculation methodology is an approximate description of reality with no obvious reason, other than the empirical evidence, that it is universally valid.
- **Game changer:** the last studied case, ^{93m}Nb , was done with a Si(Li) detector that was painstakingly efficiency calibrated and it is now fit to explore for ICC measurements in the underrepresented region $A < 100$.
- There are but two measurements close to $A \sim 200$ limit and one can use the HPGe detector for more measurements in this region (and higher)
 - **Conclusion:** it is still possible to improve the ICC test by extending the A range
 - **Possible candidates:** ^{58m}Co , ^{198m}Au

$_{27}^{58m}\text{Co}$

$_{27}^{58m}\text{Co}$, $\Delta_K=4.7\%$, $\alpha_K(\text{exp})=1860(100)$ (ENSDF), %unc=5.4% ; 2030(90) (2002RA45)

24.9-keV M4, single IT γ , $T_{1/2}=9.1$ h,

$\alpha_K(\text{FO})=1840$, $\alpha_K(\text{NH})=1754$

^{58}Co g.s. ε , $T_{1/2}=70.9$ d, $(\lambda \times I_{K\alpha})(\text{g.s./m.s.})=0.51(3)\%$

ONLY Si(Li) detector

ENSDF list of reactions:

a) There are many reactions used for *prompt* studies:

With γ measured: $(\alpha, n\gamma)$, (p, γ) , $(p, n\gamma)$, $(n, 2n\gamma)$, $(d, n\gamma)$;

Only particles: (p, n) , (p, d) , (d, t) , (d, n) , (d, α) , $(^3\text{He}, d)$, (α, d)

that generally did not observed the 24.9 γ , nor give relevant cross sections.

b) Most promising ^{58}Co IT decay dataset were considered:

1. $^{58}\text{Ni}(n, p)^{58}\text{Co}$ in n flux $\Phi=10^{14}$ n/cm²s (1971PI02)

- “spectroscopically pure” NiO activated for 24 h;

- ^{58m}Co was separated from NiO with anion-resin (Dowex-2, X-10, 200-400 mesh);

- Ni was washed out with 7N HCl solution => separation factor $\sim 10^5$

- The elude was dried and dissolved in *aqua destillata* from which it was electroplated on Pt foil

- 99.9% enriched (from 68%) ^{58}Ni (metal, oxide) is available from Isoflex, Trace

Texas A&M Nuclear Science Center reactor activation estimation

- NSC fast neutron: $\Phi(\text{integrated}) \sim 5.1 \times 10^{10}$ n/cm²s (...)

- EXFOR V0002009: $\sigma_{\text{aver}}(n, p, E_n)=1.1\text{-}14$ MeV=478 mb (should be divided in between m.s. and g.s...)

- 2 mg of ^{58}Ni activated for 1 h give about 1 μCi of ^{58}Co

79^{198m}Au

79^{198m}Au , $\Delta_K=5.0\%$, $\alpha_K(\text{exp})=$, $\%unc=$;
115.2 -keV M4, multiple IT γ , $T_{1/2}=2.3$ d,

$\alpha_K(\text{FO})=185$, $\alpha_K(\text{NH})=176$

^{198m}Au IT vs. g.s.

811.715	(12-)	2.272 d 16	IT
0.0	2-	2.6941 d 2	β^- : 100 %

ONLY HPGe detector

ENSDF list of reactions to populate the IT state:

$^{200}\text{Hg}(\text{d},\alpha)$ (1972Cu06), $^{197}\text{Au}(\text{d},\text{p})$ (1968Bo30,1973Pa08), $^{198}\text{Hg}(\text{n},\text{p})$ (1973Pa08),

$^{196}\text{Pt}(\alpha,\text{pn})$ (1975Ma30), $^{198}\text{Pt}(\text{d},2\text{n})$ (1975Ma30),

$^{197}\text{Au}(\text{n},\gamma)$ (1990Pi08).