



ENDF Manual Changes/ ENDF Format Change Discussions

David Brown

4 November 2022 CSEWG part of Nuclear Data Week 2022





ENDF Manual Changes



Two corrections this FY

Equation (D.24): mistaken factor of 2

D.1. THE RESOLVED RESONANCE REGION (LRU=1)

reduces to the familiar form:

$$\sigma_{nn}(E) = \underbrace{\frac{\pi}{k^2}} \sum_{l=0}^{NLS-1} \sum_{s=|I-\frac{1}{2}|}^{I+\frac{1}{2}} \sum_{J=|l-s|}^{l+s} g_J |1 - U_{lsJ,lsJ}|^2.$$
 (D.24)

Missing parenthesis, p. 346

D.1. THE RESOLVED RESONANCE REGION (LRU=1)

Multilevel Breit-Wigner (MLBW, LRF=2)

The equations are the same as **SLBW**, except that the equation for elastic scattering of l-wave neutrons is $\sigma_{n,n}^l(E) = \sigma_{n,n}^{l(S)}(E) + \sigma_{n,n}^{l(R)}(E)$ where $\sigma_{n,n}^{l(S)}$ is the **SLBW** contribution given by equation D.2 and $\sigma_{n,n}^{l(R)}$ is the resonance-resonance interference term defined by:



New dev/resParameterRevisions branch

Created by Mark Paris to collect resonance documentation clarifications

- First pass at resonance parameter revisions
- Main focus here are LRF=7 corrections
- KRL=1 description in Appendix D
- Clarification of LRF=3 limitations in Appendix D
- Clarification of how LRF=7 subsumes LRF=1,2,3
- Other minor edits.



D.1. THE RESOLVED RESONANCE REGION (LRU=1)

D.1.3 Reich-Moore (R-M, LRF=3)

Evaluators should be aware that the full Reich-Moore formalism [Reference 2] is more general than its ENDF implementation under LRF=3, which is a limited subset of the Reich-Moore capabilities. In particular, the LRF=3 format is permitted only for incident neutrons, allows no threshold reactions, and supports only two elastic neutron channels per spin group as well as fission and capture channels; competitive reactions are not supported in LRF=3. For a more general treatment than that afforded by the LRF=3 Reich-Moore formalism see Section 2.2.1.5 on R-Matrix Limited format (LRF=7).

This description of the ENDF Reich-Moore formalism differs from previous versions by using notation in closer agreement with References 1 and 3. The dependence of all quantities on channel spin has been made explicit, to support a format extension which permits specifying the individual channel-spin components of the neutron width.

Partial cross sections may be obtained from a collision matrix U_{ab} , which connects entrance channels a with exit channels b. In ENDF, the formalism is applied to neutron

New dev/resParameterRevisions branch

Created by Mark Paris to collect resonance documentation clarifications

First pass at

I encourage this development! Appendix D is a bit of a mess.

- Main focus corrections
- KRL=1 des Appendix I

We would like to port this description to GNDS specifications when ready

- Clarification of LRF=3 limitations in Appendix D
- Clarification of how LRF=7 subsumes LRF=1,2,3
- Other minor edits.



Evaluators should be aware that the full Reich-Moore formalism [Reference 2] is more general than its ENDF implementation under LRF=3, which is a limited subset of the Reich-Moore capabilities. In particular, the LRF=3 format is permitted only for incident neutrons, allows no threshold reactions, and supports only two elastic neutron channels per spin group as well as fission and capture channels; competitive reactions are not supported in LRF=3. For a more general treatment than that afforded by the LRF=3 Reich-Moore formalism see Section 2.2.1.5 on R-Matrix Limited format (LRF=7).

This description of the ENDF Reich-Moore formalism differs from previous versions by using notation in closer agreement with References 1 and 3. The dependence of all quantities on channel spin has been made explicit, to support a format extension which permits specifying the individual channel-spin components of the neutron width.


Partial cross sections may be obtained from a collision matrix U_{ab} , which connects entrance channels a with exit channels b. In ENDF, the formalism is applied to neutron

ENDF Format Change Discussion(s)

No new proposals, which is good because there is a lot to do



24 Open Issues: 3 Error/Typos




All TSL issues


2 are "we ran out of MAT number issues"


Dave promised a fix but hasn't provided one



24 Open Issues: 13 Requests for Improvement











24 Open Issues: 13 Requests for Improvement



24 Open Issues: 13 Requests for Improvement



□ 13 △ 0 +


24 Open Issues: 10 Format Proposals


provisional approval, actions pending (mostly writing)



lots of work needed

looks easy, but it's not







24 Open Issues: 10 Format Proposals



Provisionally accepted resonance-related proposals:

- Brune (https://git.nndc.bnl.gov/endf/format/endf6man/-/issues/113) action on Marco, Ian
- R_ext (https://git.nndc.bnl.gov/endf/format/endf6man/-/issues/101) action on Wim, Jesse
- KRL (https://git.nndc.bnl.gov/endf/format/endf6man/-/issues/103) action on Mark, Ian

Provisionally accepted IRDFF-related proposals:

- MF10 (https://git.nndc.bnl.gov/endf/format/endf6man/-/issues/107) action on Andrej, Dave
- W (https://git.nndc.bnl.gov/endf/format/endf6man/-/issues/138) action on Andrej, Dave



Provisionally accepted Kalbach-Mann proposal:

d breakup (https://git.nndc.bnl.gov/endf/format/endf6man/-/issues/112) – action on Arjan, Dave



24 Open Issues: 10 Format Proposals

Forgotten proposals:

- Temp (https://git.nndc.bnl.gov/endf/format/endf6man/-/issues/106) submitter is Andrej
- MT's (https://git.nndc.bnl.gov/endf/format/endf6man/-/issues/102) submitter is Andrej

Unexpectedly hard proposal:

URR (https://git.nndc.bnl.gov/endf/format/endf6man/-/issues/105) – submitter is Andrej This should be easy, but we keep going around and around

Ones maybe we should just drop?

MF4/5 (https://git.nndc.bnl.gov/endf/format/endf6man/-/issues/92) – submitter is Andrej Requires information not present in ENDF files to make practical

