

sPHENIX INTT - calibration database PSQL

Cheng-Wei Shih & Chia-Ming Kuo

National Central University

2022/11/4




From sheet to PSQL (2 weeks ago)

4 tables to save the calibration-test information of barrel.

B0L0		B0L1		B1L0		B1L1															
B0L0		Hardware Components				Calibration Test								Survey, Cooling, and Grounding					Final		
ID	Ladder Position	Ladder Name	HDI South/North	BEX South/North	South				North				Survey Status	GND Wire Stave	Glue TC Connector	Cooling Test	Silver Epoxy	Grounding Confirmed	Conversion Cable S/N	Pulse Test	Barrel Status
					Current SA/SB [nA]	TA/TB [Celsius]	File Name	Status	Current SA/SB [nA]	TA/TB [Celsius]	File Name	Status									
1	EAST	B0L000	PB1-L008	201/202	028/025	400/200	22.6/23.0	20220822-1822,5	1	355/400	23.5/22.6	20220823-1253,6	1	1	1	1	1	1			
2		B0L001	PB1-L005	038/039	026/023	407/359	23.1/22.9	20220818-1643,8	1	360/410	22.7/22.3	20220823-1326,6	1	1	1	1	1	1			
3		B0L002	PB1-L031	281/288	004/003	402/340	23.0/23.0	20220818-1628,8	1	342/358	22.3/22.0	20220823-1410,8	1	1	1	1	1	1			
4		B0L003	PB1-L013	217/218	018/019	400/310	22.7/34.2	20220812-1709,8	1	274/299	22.5/22.0	20220811-1127,8	1	1	1	1	1	1			
5		B0L004	PB1-L027	279/280	022/005	400/370	22.6/22.3	20220822-1607,8	1	404/376	21.3/21.3	20220823-1452,8	1	1	1	1	1	1			
6		B0L005	PB1-L009	199/200	024/021	391/364	22.3/21.9	20220822-1720,6	1	419/358	23.1/22.6	20220823-1538,8	1	1	1	1	1	1			
7	WEST	B0L006	PB1-L034	302/307	016/017	354/313	23.6/-7.2	20220812-1825,8	1	221/276	22.5/22.0	20220811-1251,8	1	1	1	1	1	1			
8		B0L007	PB1-L020	282/283	014/015	391/370	22.7/22.3	20220812-1736,8	1	92/240	22.7/22.1	20220811-1229,8	1	1	1	1	1	1			
9		B0L008	PB1-L017	213/214	010/011	391/376	22.5/22.1	20220812-1722,8	1	411/299	22.6/21.7	20220811-1143,8	1	1	1	1	1	1			
10		B0L009	PB1-L010	197/198	006/007	368/347	23.4/23.0	20220818-1710,8	1	387/350	23.4/22.8	20220823-1426,8	1	1	1	1	1	1			
11		B0L010	PB1-L006	040/206	008/009	393/369	21.3/21.5	20220812-1703,8	1	276/249	23.2/22.6	20220811-1103,8	1	1	1	1	1	1			
12		B0L011	PB1-L021	284/285	012/013	374/381	23.1/22.9	20220816-1634,8	1	369/297	23.1/22.4	20220811-1035,8	1	1	1	1	1	1			

Google spreadsheet

Ladder info.
Component info.
Cali_south
Cali_north
Stave info.
Final info.




From sheet to PSQL (update)

4 tables to save the calibration-test information of barrel.

B0L0		B0L1		B1L0		B1L1															
B0L0		Hardware Components				Calibration Test								Survey, Cooling, and Grounding					Final		
ID	Ladder Position	Ladder Name	HDI South/North	BEX South/North	South				North				Survey Status	GND Wire Stave	Glue TC Connector	Cooling Test	Silver Epoxy	Grounding Confirmed	Conversion Cable S/N	Pulse Test	Barrel Status
					Current SA/SB [nA]	TA/TB [Celsius]	File Name	Status	Current SA/SB [nA]	TA/TB [Celsius]	File Name	Status									
1	EAST	B0L000	PB1-L008	201/202	028/025	400/200	22.6/23.0	20220822-1822,5	1	355/400	23.5/22.6	20220823-1253,6	1	1	1	1	1	1			
2		B0L001	PB1-L005	038/039	026/023	407/359	23.1/22.9	20220818-1643,8	1	360/410	22.7/22.3	20220823-1326,6	1	1	1	1	1	1			
3		B0L002	PB1-L031	281/288	004/003	402/340	23.0/23.0	20220818-1628,8	1	342/358	22.3/22.0	20220823-1410,8	1	1	1	1	1	1			
4		B0L003	PB1-L013	217/218	018/019	400/310	22.7/34.2	20220812-1709,8	1	274/299	22.5/22.0	20220811-1127,8	1	1	1	1	1	1			
5		B0L004	PB1-L027	279/280	022/005	400/370	22.6/22.3	20220822-1607,8	1	404/376	21.3/21.3	20220823-1452,8	1	1	1	1	1	1			
6		B0L005	PB1-L009	199/200	024/021	391/364	22.3/21.9	20220822-1720,6	1	419/358	23.1/22.6	20220823-1538,8	1	1	1	1	1	1			
7	WEST	B0L006	PB1-L034	302/307	016/017	354/313	23.6/-7.2	20220812-1825,8	1	221/276	22.5/22.0	20220811-1251,8	1	1	1	1	1	1			
8		B0L007	PB1-L020	282/283	014/015	391/370	22.7/22.3	20220812-1736,8	1	92/240	22.7/22.1	20220811-1229,8	1	1	1	1	1	1			
9		B0L008	PB1-L017	213/214	010/011	391/376	22.5/22.1	20220812-1722,8	1	411/299	22.6/21.7	20220811-1143,8	1	1	1	1	1	1			
10		B0L009	PB1-L010	197/198	006/007	368/347	23.4/23.0	20220818-1710,8	1	387/350	23.4/22.8	20220823-1426,8	1	1	1	1	1	1			
11		B0L010	PB1-L006	040/206	008/009	393/369	21.3/21.5	20220812-1703,8	1	276/249	23.2/22.6	20220811-1103,8	1	1	1	1	1	1			
12		B0L011	PB1-L021	284/285	012/013	374/381	23.1/22.9	20220816-1634,8	1	369/297	23.1/22.4	20220811-1035,8	1	1	1	1	1	1			

Google spreadsheet

Ladder info.
Component info.
Cali_south
Cali_north
Stave info.
Final info.



Combine north and south

Practice status - table list

In PSQL

Update

Location of psql server : my mac (for practice)

Schema	Name	Type	Owner
public	cali_info	table	chengweishi
public	cali_info_id_seq	sequence	chengweishi
public	component_info	table	chengweishi
public	component_info_id_seq	sequence	chengweishi
public	main_table	table	chengweishi
public	main_table_id_seq	sequence	chengweishi
public	stave_info	table	chengweishi
public	stave_info_id_seq	sequence	chengweishi

The information is separated into four tables

Practice status - contents of tables

In PSQL

Two weeks ago

Calibration result - south

```
intt_calibration_db_test=# select * from cali_south_info;
```

id	calibration_south_current_a	calibration_south_current_b	calibration_south_ta	calibration_south_tb	calibration_south_file_name	calibration_south_moduleid	calibration_south_status
1	359.0	341.0	22.8	22.6	20220826-1249	8	1
2	387.0	361.0	21.9	21.6	20220822-1750	8	1
3	410.0	362.0	22.2	22.1	20220816-1741	8	1
4	200.0	370.0	23.1	-5.2	20220822-1843	8	1
5	297.0	291.0	23.3	-17.6	20220817-1526	8	1
6	407.0	362.0	22.6	22.3	20220818-1813	8	1
7	370.0	279.0	22.8	22.5	20220822-1540	8	1
8	382.0	385.0	22.8	22.6	20220822-1718	6	1
9	373.0	354.0	23.5	23.2	20220812-1851	8	1
10	395.0	365.0	22.3	22.2	20220812-1808	8	1
11	394.0	271.0	23.3	4.2	20220810-1348	8	1
12	394.0	371.0	23.3	-13.8	20220811-1048	8	1
13	374.0	385.0	23.3	-7.5	20220812-1111	8	1
14	13.0	342.0	23.1	22.9	20220826-1737	8	1
15	383.0	395.0	23.2	22.8	20220816-1620	8	1
16	358.0	376.0	23.5	23.8	20220816-1613	8	1

(16 rows)

Column list :

1. Current_A
2. Current_B
3. Temp_A
4. Temp_B
5. File_name
6. Module_id
7. Stauts

Practice status - contents of tables

In PSQL

Timestamp
from PSQL

Update

Automatically generated when adding one row

Array

Array

Column list :

1. Time stamp
2. NS
3. File_name
4. Module_id
5. Current_AB
6. Temp_AB
7. Stauts

id	cali_time	cali_ns	cali_file	cali_moduleid	cali_current_ab	cali_tab	cali_status
1	2022-10-15 13:20:02.179766+08	S	20220826-1249	8	{359.0,341.0}	{22.8,22.6}	1
2	2022-10-15 13:20:02.697493+08	S	20220822-1750	8	{387.0,361.0}	{21.9,21.6}	1
3	2022-10-15 13:20:03.213547+08	S	20220816-1741	8	{410.0,362.0}	{22.2,22.1}	1
4	2022-10-15 13:20:03.730174+08	S	20220822-1843	8	{200.0,370.0}	{23.1,-5.2}	1
5	2022-10-15 13:20:04.242695+08	S	20220817-1526	8	{297.0,291.0}	{23.3,-17.6}	1
6	2022-10-15 13:20:04.760349+08	S	20220818-1813	8	{407.0,362.0}	{22.6,22.3}	1
7	2022-10-15 13:20:05.278094+08	S	20220822-1540	8	{370.0,279.0}	{22.8,22.5}	1
8	2022-10-15 13:20:05.794517+08	S	20220822-1718	6	{382.0,385.0}	{22.8,22.6}	1
9	2022-10-15 13:20:06.310845+08	S	20220812-1851	8	{373.0,354.0}	{23.5,23.2}	1
10	2022-10-15 13:20:06.823064+08	S	20220812-1808	8	{395.0,365.0}	{22.3,22.2}	1
11	2022-10-15 13:20:07.33645+08	S	20220810-1348	8	{394.0,271.0}	{23.3,4.2}	1
12	2022-10-15 13:20:07.850276+08	S	20220811-1048	8	{394.0,371.0}	{23.3,-13.8}	1
13	2022-10-15 13:20:08.362987+08	S	20220812-1111	8	{374.0,385.0}	{23.3,-7.5}	1
14	2022-10-15 13:20:08.875475+08	S	20220826-1737	8	{13.0,342.0}	{23.1,22.9}	1
15	2022-10-15 13:20:09.389347+08	S	20220816-1620	8	{383.0,395.0}	{23.2,22.8}	1
16	2022-10-15 13:20:09.903607+08	S	20220816-1613	8	{358.0,376.0}	{23.5,23.8}	1
17	2022-10-15 13:20:10.416657+08	N	20220826-1249	8	{359.0,341.0}	{22.8,22.6}	1
18	2022-10-15 13:20:10.930309+08	N	20220823-1352	8	{396.0,360.0}	{22.6,22.0}	1
19	2022-10-15 13:20:11.443042+08	N	20220823-1357	8	{380.0,230.0}	{22.0,22.9}	1
20	2022-10-15 13:20:11.958374+08	N	20220823-1416	8	{400.0,350.0}	{21.4,21.5}	1
21	2022-10-15 13:20:12.475772+08	N	20220823-1438	8	{391.0,362.0}	{23.6,38.1}	1
22	2022-10-15 13:20:12.997905+08	N	20220823-1506	8	{407.0,30.0}	{23.3,22.6}	1
23	2022-10-15 13:20:13.515525+08	N	20220823-1527	8	{407.0,376.0}	{22.9,22.2}	1
24	2022-10-15 13:20:14.026474+08	N	20220823-1520	8	{362.0,350.0}	{22.7,22.2}	1
25	2022-10-15 13:20:14.54108+08	N	20220810-1809	8	{299.0,295.0}	{23.2,22.6}	1
26	2022-10-15 13:20:15.050966+08	N	20220810-1800	8	{410.0,292.0}	{23.3,22.7}	1
27	2022-10-15 13:20:15.566179+08	N	20220810-1656	6	{416.0,301.0}	{21.0,-14.8}	1
28	2022-10-15 13:20:16.08308+08	N	20220810-1638	6	{427.0,297.0}	{23.3,-13.8}	1
29	2022-10-15 13:20:16.599947+08	N	20220810-1718	6	{416.0,299.0}	{23.2,-16.6}	1
30	2022-10-15 13:20:17.112634+08	N	20220810-1732	6	{290.0,297.0}	{23.1,22.3}	1
31	2022-10-15 13:20:17.625494+08	N	20220810-1824	8	{-402.0,-262.0}	{23.3,-10.6}	1
32	2022-10-15 13:20:18.137982+08	N	20220810-1834	8	{257.0,260.0}	{23.1,22.1}	1

(32 rows)

Timezone

Practice status - contents of tables

In PSQL

Update

Main table

Array

id	barrel_id	ladder_position	ladder_name	component_id	stave_id	cali_id
1	EAST	B1L000	PB2-L016	1	1	{1,17}
2	EAST	B1L001	PB2-L020	2	2	{2,18}
3	EAST	B1L002	PB2-L034	3	3	{3,19}
4	EAST	B1L003	PB2-L049	4	4	{4,20}
5	EAST	B1L004	PB2-L045	5	5	{5,21}
6	EAST	B1L005	PB2-L001	6	6	{6,22}
7	EAST	B1L006	PB2-L018	7	7	{7,23}
8	EAST	B1L007	PB2-L026	8	8	{8,24}
9	WEST	B1L008	PB2-L027	9	9	{9,25}
10	WEST	B1L009	PB2-L011	10	10	{10,26}
11	WEST	B1L010	PB2-L031	11	11	{11,27}
12	WEST	B1L011	PB2-L008	12	12	{12,28}
13	WEST	B1L012	PB2-L009	13	13	{13,29}
14	WEST	B1L013	PB2-L038	14	14	{14,30}
15	WEST	B1L014	PB2-L032	15	15	{15,31}
16	WEST	B1L015	PB2-L030	16	16	{16,32}

(16 rows)

The length of the `cali_id` is flexible :

B1L000 : {1,17}

B1L001 : {2,18,33}

B1L002 : {3,19,34,35,36,37}

Foreign keys

Foreign key
(kind of)

Practice status - contents of tables

In PSQL

Call the relations by using the inner join command.

```
SELECT * FROM main_table JOIN cali_info ON main_table.cali_id = cali_info.id WHERE ladder_position = 'B1L005' ;
```


```
intt_calibration_db_test=# select * from main_table join cali_info on main_table.cali_id[1] = cali_info.id where ladder_position = 'B1L005';
 id | barrel_id | ladder_position | ladder_name | component_id | stave_id | cali_south_id | cali_north_id | cali_id | id | cali_time | cali_ns | cali_file | cali_moduleid | cali_current_ab | cali_tab | cali_status
-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
 6 | EAST      | B1L005         | PB2-L001   |             | 6        | 6             | 6             | 6 | {6,22} | 6 | 2022-10-15 13:20:04.760349+08 | S | 20220818-1813 | 8 | {407.0,362.0} | {22.6,22.3} | 1
(1 row)
```

Main table

Calibration table

Expert GUI - record action

Just for function test, python GUI package : 'tkinter'



id	timestamp	key	note
1	2022-10-16 04:10:37.073437+08	35	I am here
2	2022-10-16 04:20:45.405491+08	add	3 + 4 = 7
3	2022-10-16 04:20:53.539524+08	subtract	3 - 4 = -1
4	2022-10-16 04:20:55.215083+08	subtract	3 - 4 = -1
5	2022-10-16 05:13:48.058423+08	add	123 + 456 = 579

(5 rows)

Size of this table
gui_history=# sel
pg_size_pretty

7901 kB
(1 row)

Automatically save the action information when doing the action (clicking the button).

It's feasible to implement this function in the expert GUI. Do we need it ?

id	action	note	
1	set	dac0 : 15	
2	global run		
3	set	dac0 : 16	
4	global run		
5	set	dac0 : 17	
6	global run		
7	set	dac0 : 18	
8	global run		
9	set	dac0 : 19	
	global run		

First thought of the slow control database

Slow control setting (DAC setting & LVDS setting as example)

Main setting, distributes to all of the chips

	DAC0	DAC1	DAC2	DAC3	DAC4	DAC5	DAC6	DAC7	LVDS
	15	30	60	90	120	150	180	210	3



Special cases

	EW	barrel	NS	chip	DAC0	DAC1	DAC2	DAC3	DAC4	DAC5	DAC6	DAC7	LVDS
1	EAST	B1L112	N	4									127
2	WEST	B0L001	S	10	25								

(Add timestamp and runID ?)



Mask (bad ?) channel

	EW	barrel	NS	chip	channel
1	EAST	B1L112	N	4	127
2	WEST	B0L001	S	10	0

(Add timestamp and runID ?)




Plan of FPHX power

- Three controller boards, only one can work now. It can control up to 3 voltage supply boards now. (eventually it should control 8 boards.)
- We need at least two.
- Step 1 : We have to investigate them (IP address, etc.), how to make them work.
- Step 2 : Migrate the controlling script from Perl script to sPHENIX standard system. (OPC3 -> KEPserver via protocol ?)
- Step 3 : the GUI development.
- We need a way to measure the output voltage from the board.
 - Efficient, easy and remotely → Raspberry Pi + ADC module.
 - Computer from NCU → INTT gateway → Raspberry Pi.
 - Itaru wants us to send one set to BNL.

The picture of INTT software (DAQ part)

INTT will have 8 Felix boards in total. 4 Felix boards for each side (North/South).
 1 Felix connects to 2 ROCs, each ROC connects to 7 ladders. ($4 * 2 * 7 = 56$)




CW's original thought

Calibration	Expert GUI ?
-----	-----
Slow control	Expert GUI/RCDAQ ?
-----	-----
HV/LV	KEP Server
-----	-----
DAQ	RCdaq, but how ?

The picture of INTT software (DAQ part)

INTT will have 8 Felix boards in total. 4 Felix boards for each side (North/South).
 1 Felix connects to 2 ROCs, each ROC connects to 7 ladders. ($4 * 2 * 7 = 56$)




Takashi

Calibration	Expert GUI ?
-----	-----
Slow control	Expert GUI/RCDAQ ?
-----	-----
HV/LV	KEP Server
-----	-----
DAQ	RCdaq, but how ?

The picture of INTT software (DAQ part)

INTT will have 8 Felix boards in total. 4 Felix boards for each side (North/South).
 1 Felix connects to 2 ROCs, each ROC connects to 7 ladders. ($4 * 2 * 7 = 56$)



Summary

- The format of the calibration table is updated. The number of the table is reduced by 1, and the time stamp is added.
- The function to record the action of Expert_GUI to the PSQL is feasible.
- To do :
 - Implement PSQL in the Felix-2 server, and test it.

Back up

PSQL with ROOT/C++

- It's feasible, the root "TSQLServer" class is in root.
- Besides, other package supports the connection of C++ and PSQL

From sheet to PSQL - procedures

BOL0		Hardware Components				Calibration Test							
ID	Ladder Position	Ladder Name	HDI South/North	BEX South/North	South				North				
					Current SA/SB [nA]	TA/TB [Celsius]	File Name	Status	Current SA/SB [nA]	TA/TB [Celsius]	File Name	Status	
1	EAST	BOL000	PB1-L008	201/202	028/025	400/200	22.6/23.0	20220822-1822,5	1	355/400	23.5/22.6	20220823-1253,6	1
2		BOL001	PB1-L005	038/039	026/023	407/359	23.1/22.9	20220818-1643,8	1	360/410	22.7/22.3	20220823-1326,6	1
3		BOL002	PB1-L031	281/288	004/003	402/340	23.0/23.0	20220818-1628,8	1	342/358	22.3/22.0	20220823-1410,8	1
4		BOL003	PB1-L013	217/218	018/019	400/310	22.7/34.2	20220812-1709,8	1	274/299	22.5/22.0	20220811-1127,8	1
5		BOL004	PB1-L027	279/280	022/005	400/370	22.6/22.3	20220822-1607,8	1	404/376	21.3/21.3	20220823-1452,8	1
6		BOL005	PB1-L009	199/200	024/021	391/364	22.3/21.9	20220822-1720,6	1	419/358	23.1/22.6	20220823-1538,8	1
7	WEST	BOL006	PB1-L034	302/307	016/017	354/313	23.6/-7.2	20220812-1825,8	1	221/276	22.5/22.0	20220811-1251,8	1
8		BOL007	PB1-L020	282/283	014/015	391/370	22.7/22.3	20220812-1736,8	1	92/240	22.7/22.1	20220811-1229,8	1
9		BOL008	PB1-L017	213/214	010/011	391/376	22.5/22.1	20220812-1722,8	1	411/299	22.6/21.7	20220811-1143,8	1
10		BOL009	PB1-L010	197/198	006/007	368/347	23.4/23.0	20220818-1710,8	1	387/350	23.4/22.8	20220823-1426,8	1
11		BOL010	PB1-L006	040/206	008/009	393/369	21.3/21.5	20220812-1703,8	1	276/249	23.2/22.6	20220811-1103,8	1
12		BOL011	PB1-L021	284/285	012/013	374/381	23.1/22.9	20220816-1634,8	1	369/297	23.1/22.4	20220811-1035,8	1

↑ Request the information via google sheet API.

Python



Re-organize the information

Fill the information to PSQL via the package psycopg2.



PSQL

Advantages :

1. All can be done in python
2. Easy to update

Practice status - contents of tables

In PSQL

Two weeks ago

Main table

id	barrel_id	ladder_position	ladder_name	component_id	stave_id	cali_south_id	cali_north_id
1	EAST	B1L000	PB2-L016	1	1	1	1
2	EAST	B1L001	PB2-L020	2	2	2	2
3	EAST	B1L002	PB2-L034	3	3	3	3
4	EAST	B1L003	PB2-L049	4	4	4	4
5	EAST	B1L004	PB2-L045	5	5	5	5
6	EAST	B1L005	PB2-L001	6	6	6	6
7	EAST	B1L006	PB2-L018	7	7	7	7
8	EAST	B1L007	PB2-L026	8	8	8	8
9	WEST	B1L008	PB2-L027	9	9	9	9
10	WEST	B1L009	PB2-L011	10	10	10	10
11	WEST	B1L010	PB2-L031	11	11	11	11
12	WEST	B1L011	PB2-L008	12	12	12	12
13	WEST	B1L012	PB2-L009	13	13	13	13
14	WEST	B1L013	PB2-L038	14	14	14	14
15	WEST	B1L014	PB2-L032	15	15	15	15
16	WEST	B1L015	PB2-L030	16	16	16	16

(16 rows)

Foreign keys

Practice status - contents of tables

In PSQL

Two weeks ago

Calibration result - south

```
intt_calibration_db_test=# select * from cali_south_info;
```

id	calibration_south_current_a	calibration_south_current_b	calibration_south_ta	calibration_south_tb	calibration_south_file_name	calibration_south_moduleid	calibration_south_status
1	359.0	341.0	22.8	22.6	20220826-1249	8	1
2	387.0	361.0	21.9	21.6	20220822-1750	8	1
3	410.0	362.0	22.2	22.1	20220816-1741	8	1
4	200.0	370.0	23.1	-5.2	20220822-1843	8	1
5	297.0	291.0	23.3	-17.6	20220817-1526	8	1
6	407.0	362.0	22.6	22.3	20220818-1813	8	1
7	370.0	279.0	22.8	22.5	20220822-1540	8	1
8	382.0	385.0	22.8	22.6	20220822-1718	6	1
9	373.0	354.0	23.5	23.2	20220812-1851	8	1
10	395.0	365.0	22.3	22.2	20220812-1808	8	1
11	394.0	271.0	23.3	4.2	20220810-1348	8	1
12	394.0	371.0	23.3	-13.8	20220811-1048	8	1
13	374.0	385.0	23.3	-7.5	20220812-1111	8	1
14	13.0	342.0	23.1	22.9	20220826-1737	8	1
15	383.0	395.0	23.2	22.8	20220816-1620	8	1
16	358.0	376.0	23.5	23.8	20220816-1613	8	1

(16 rows)

Calibration result - north

```
intt_calibration_db_test=# select * from cali_north_info;
```

id	calibration_north_current_a	calibration_north_current_b	calibration_north_ta	calibration_north_tb	calibration_north_file_name	calibration_north_moduleid	calibration_north_status
1	359.0	341.0	22.8	22.6	20220826-1249	8	1
2	396.0	360.0	22.6	22.0	20220823-1352	8	1
3	380.0	230.0	22.0	22.9	20220823-1357	8	1
4	400.0	350.0	21.4	21.5	20220823-1416	8	1
5	391.0	362.0	23.6	38.1	20220823-1438	8	1
6	407.0	30.0	23.3	22.6	20220823-1506	8	1
7	407.0	376.0	22.9	22.2	20220823-1527	8	1
8	362.0	350.0	22.7	22.2	20220823-1520	8	1
9	299.0	295.0	23.2	22.6	20220810-1809	8	1
10	410.0	292.0	23.3	22.7	20220810-1800	8	1
11	416.0	301.0	21.0	-14.8	20220810-1656	6	1
12	427.0	297.0	23.3	-13.8	20220810-1638	6	1
13	416.0	299.0	23.2	-16.6	20220810-1718	6	1
14	290.0	297.0	23.1	22.3	20220810-1732	6	1
15	-402.0	-262.0	23.3	-10.6	20220810-1824	8	1
16	257.0	260.0	23.1	22.1	20220810-1834	8	1

Practice status - contents of tables

In PSQL

NO update

Stave information

```
intt_calibration_db_test=# select * from stave_info;
```

id	stave_survey_status	stave_gnd_wire_stave	stave_glue_tc_connect	stave_cooling_test	stave_silver_epoxy	stave_grounding_confirmed
1	1	1	1	1	1	1
2	1	1	1	1	1	1
3	1	1	1	1	1	1
4	1	1	1	1	1	1
5	1	1	1	1	1	1
6	1	1	1	1	1	1
7	1	1	1	1	1	1
8	1	1	1	1	1	1
9	1	1	1	1	1	1
10	1	1	1	1	1	1
11	1	1	1	1	1	1
12	1	1	1	1	1	1
13	1	1	1	1	1	1
14	1	1	1	1	1	1
15	1	1	1	1	1	1
16	1	1	1	1	1	1

(16 rows)

Component information (HDI ID & BEC ID)

Coaxial cable ID in the future

```
intt_calibration_db_test=# select * from component_info;
```

id	hdi_south	hdi_north	bex_south	bex_north
1	242	243	67	70
2	149	150	69	72
3	310	311	71	74
4	374	375	73	76
5	366	367	75	78
6	017	018	77	80
7	194	195	79	82
8	291	292	81	84
9	293	294	51	54
10	232	233	53	56
11	187	188	55	58
12	226	227	57	60
13	228	229	59	62
14	386	387	61	64
15	303	304	63	66
16	300	301	65	68

(16 rows)