

Q^2 acceptance

Francesco Bossù and Niveditha Ramasubramanian

CEA Saclay





February 2, 2023

Setup

- ▶ Single electron simulation (gun)
- ▶ **Flat in theta and momentum**
- ▶ $Q^2 = -(beam - e')^2$
- ▶ $beam = (0, 0, -E, E)$, $E = 18 GeV$ (other energies in backups)
- ▶ Three regions considered, backward, central, forward. Three bins in rapidity for each region.





backward – $-3.5 < \eta < -3$

Beam: 18GeV; Single electron gun, flat in theta and momentum







backward – $-3 < \eta < -2.5$

Beam: 18GeV; Single electron gun, flat in theta and momentum







backward – $-2.5 < \eta < -2$

Beam: 18GeV; Single electron gun, flat in theta and momentum



backward – $-2 < \eta < -1.5$


Beam: 18GeV; Single electron gun, flat in theta and momentum




backward – $-1.5 < \eta < -1$

Beam: 18GeV; Single electron gun, flat in theta and momentum


Q2 -1.5< η <-1.0




Q2 vs P -1.5< η <-1.0



$Q^2 - \text{Rec/MC}$







Q2 -1.5< η <-1.0







central – $-1 < \eta < -0.5$

Beam: 18GeV; Single electron gun, flat in theta and momentum







central – $-0.5 < \eta < 0.5$

Beam: 18GeV; Single electron gun, flat in theta and momentum







central – $0.5 < \eta < 1$

Beam: 18GeV; Single electron gun, flat in theta and momentum







forward – $2 < \eta < 2.5$

Beam: 18GeV; Single electron gun, flat in theta and momentum







forward – $2.5 < \eta < 3$

Beam: 18GeV; Single electron gun, flat in theta and momentum



forward – $3 < \eta < 3.5$

Beam: 18GeV; Single electron gun, flat in theta and momentum







Summary

- ▶ Single electron simulation flat in theta and momentum
- ▶ Lower efficiency in the $-3.5 < \eta < -3$ bin.

backup





backward – $-3.5 < \eta < -3$

Beam: 18GeV; Single electron gun, flat in theta and momentum







backward – $-3 < \eta < -2.5$

Beam: 18GeV; Single electron gun, flat in theta and momentum







backward – $-2.5 < \eta < -2$

Beam: 18GeV; Single electron gun, flat in theta and momentum



backward – $-2 < \eta < -1.5$

Beam: 18GeV; Single electron gun, flat in theta and momentum



backward – $-1.5 < \eta < -1$

Beam: 18GeV; Single electron gun, flat in theta and momentum

