

Studies of Number of Hits/Lever Arm (Generation Level)

Shyam Kumar, Annalisa Mastroserio, Domenico Elia
INFN Bari, Italy


EPIC Configuration

epic_brycecanyon.xml with calorimeters and far forward
detectors removed
Curling tracks

```
shyam@shyam:~/eic/epic$ git tag -l
22.10.0
22.10_rc1
22.11.0
shyam@shyam:~/eic/epic$ git checkout 22.10.0
shyam@shyam:~/eic/epic$ git pull origin main
```

Track $p_T = 0.1650$ (GeV/c)

Beam Pipe: $r = 3.18$ cm
Vtx: $r = 3.60, 4.80, 12.00$ cm
Barrel: $r = 27.00, 42.00$ cm
Support: $r = 13.50$ cm
TOF-LGAD: $r = 64.60$ cm
MPGD: $r = 55.00$ cm



<https://github.com/eic/epic/blob/main/compact/definitions.xml>

<constant name="Solenoid_rmin" value="1420.0*mm"/>

$$p_{Tmin} = 0.3 * 1.7 * 1.42 / 2 = 0.3621 \text{ GeV/c}$$


Barrel EMCal

$$P_{Tmin} = 0.3 * 1.7 * 0.78 / 2 = 0.199 \text{ GeV/c}$$


field_map="fieldmaps/MARCO_v.6.4.1.1.3_1.7T_Magnetic_Field_Map_2022_11_14_rad_coords_cm_T.txt"
url="https://github.com/eic/epic-data/raw/64b7ca6306b138b7f000e696c82bd8f72db1da56MARCO_v.6.4.1.1.3_1.7T_Magnetic_Field_Map_2022_11_14_rad_coords_cm_T.txt"

3M mu- in the momentum range [0.1,10.] GeV/c and η [-3.5,3.5]

ETOF hits included



VertexBarrelHits.quality






quality = 0 for primary hits




Secondary Hits removed using quality

Nhits (Generation Level)

At larger η with ETOF average hits < 4






3 hit case may bias the results



Nhits and Lever Arm for Disks (Generation Level)




Positive eta DiskZ: [25,45,70,100,135]

Negative eta DiskZ: [-25,-45,-65,-90,-115]






$$\frac{\Delta p_T}{p_T}|_{m.s.} = \frac{N}{\sqrt{(N+1)(N-1)}} \frac{0.0136 \text{ GeV}/c}{0.3 \beta B_0 L_0} \sqrt{\frac{d_{tot}}{X_0 \sin \theta}} \left(1 + 0.038 \ln \frac{d}{X_0 \sin \theta} \right)$$

Lever Arm is larger for $\eta > 0$ which improves momentum resolution






Nhits and Lever Arm for Disks (Generation Level)

3 hit case may bias the results



$$\frac{\Delta p_T}{p_T}|_{m.s.} = \frac{N}{\sqrt{(N+1)(N-1)}} \frac{0.0136 \text{ GeV}/c}{0.3 \beta B_0 L_0} \sqrt{\frac{d_{tot}}{X_0 \sin \theta}} \left(1 + 0.038 \ln \frac{d}{X_0 \sin \theta} \right)$$







Lever Arm is larger for $\eta > 0$ which improves momentum resolution




Comparison with Expected (Ernst)

<https://indico.bnl.gov/event/18272/contributions/72893/attachments/45972/77709/20230209%20-%20EIC%20tracking%20WG.pdf>


Only with Silicon Layers




Event Display (Event 394331)-Old




Event Display (Event 394331)-New




Event Display R-Phi View (Event 544)-Old




Event Display R-Phi View (Event 544)-New



Event Display (Event 371632)-Old



Event Display (Event 371632)-New



Summary

- Checked the number of Hits and Lever Arm using Monte Carlo points
- Very low momentum range (0.2-0.4 GV/c) we see because of the curling tracks we should see again this range after including Barrel Calorimeter (it makes simulation slow)
- Things to be done:
 - Currently writing trajectory plugin to have chi2/ndf, number of hits, etc.
 - Next Check the number of reco hits used in fitting and chi2/ndf