

Agendas for the coming TIC meetings

- **8/14** – MPGDs
- **8/21** - Inputs from background (in particular, with reference to thresholds)
- **9/4** – Far backward, status and integration aspects
- **9/11**
 - FEE (others than EGCROC and EICROC), coupling with sensors and ASIC architectures
 - Cooling, a global approach

No TIC meeting on 8/28 (overlap with DAC review)

Detector Naming Convention

- **Needed to have a unique naming and avoid possible misunderstanding**
 - An example from recent slides:
bEcal used both to indicate the **backward Ecal** and the **barrel Ecal**
- A convention resulting from **the combined effort of SCC + deputies and TC**
 - **Goal:** a convention to be used both in software development and in hardware effort
- **A document with principles and a table of names distributed soon**
- **Comments from TIC members will be collected in the next two weeks (electronic form)**

Detector Naming Convention

Highlights of the principles:

[<Location>] <Detector> <CD-location>



- Forward (for FF), Central (central detector), Backward (for FB)
- Central is omitted when a reference to barrel, or endcaps is present

EXAMPLES:

- **ForwardRomanPots**
- **CentralSiTracker**
- **EcalBarrel**

- a concise and consistent name for the detector subsystem

EXAMPLES:

- **ForwardRomanPots**
- **CentralSiTracker**
- **EcalBarrel**

- Barrel
- Endcap (both endcaps)
- EndcapP (forward)
- EndcapN (backward)

EXAMPLES:

- **EcalBarrel**
- **SiTrackerEndcap** (Si disks in both endcaps!)
- **RICHEndcapP** (the dRICH)