



RHIC Status



Kiel Hock

Last Week at RHIC



RHIC status and Lumi Projections

111x111 physics running since 4/30. Preliminary luminosity accounting



Singles correction reinstated into analysis.

RHIC Status

Delivered intensity up to 2.3×10^{11} at physics.

Power dip on 8/6

- ▶ STAR ZDCs TCIM logic board failed and was replaced during Maintenance period on 8/8

Supported sPHENIX TPC commissioning

- ▶ 4 hour access on 8/6 to adjust resistance on TPC GEM modules
- ▶ 8 hour access on 8/8 for additional resistance adjustments
- ▶ 4 hour no beam time on 8/11 to update firmware for zero suppression (behind RHIC PS failure)

DX training on 8/8: IP6 still needs 0 mrad and then +30 A for IP6, IP8 and IP4. Training quench of IP4 DX.


3He APEX on 8/7.

RHIC PS issues starting on 8/10 stemming from AC issues at 1004B

- ▶ 0142 MCR contacted CAS about cooling in 1004B
- ▶ 0312 Blue QLI requiring a circuit breaker to be thrown to solve the hanging current readback of the Blue mains
- ▶ 0615 During hysteresis ramp b8-dhx-ps crowbarred resulting in QLI. Contactors cleaned and recovered at 0850.
- ▶ 0946 b4-dhx-ps under investigation for QLI. Replaced: 3 channel Iso Amp board, contactors, relays, current regulator card and ZFCT card (last two being the final solution). Recovered at 1300 on 8/11.
- ▶ 1218 AC at 1004B repaired


Lead flows at 1002 due to comm fault on node cards.

RHIC Performance



Reduction compared to previous weeks due to re-implementation of singles correction

Polarization Performance



Power dips early in the run greatly affected availability of PP

Of the last 100 stores, $P_{blue} = 55\%$ and $P_{yellow} = 59\%$

Of the last 10 stores, $P_{blue} = 57\%$ and $P_{yellow} = 56\%$

Dynamic aperture simulations I

Initial DA simulations prior to the run assumed only IP8 would be squeezed from 85/ 60 cm with IP6 remaining at 85 cm

Simulations shown on right are with this assumption. 5 is a suitable value (dark blue)


crossing angle doesn't increase the maximum DA but increases the DA footprint

Squeezing IP8 alone could support up to $2.5e11$

Simulations by X. Gu

Dynamic aperture simulations II

$$*IP_6 = 70 \text{ cm}, *IP_8 = 60 \text{ cm}, 2e11$$



squeezing both IPs at $2e11$ would likely reduce our DA too much to be supported

Can possibly squeeze at lower intensity, say $1.5e11$

Going Forward

MD Thursday

1. MD session to establish collisions at the desired crossing angle at the start of store (this will free up an additional ramp if the collapse of STAR occurs at the same time as sPHENIX, allowing)

Notes

- MD to commission beta squeeze likely at 3 hours or $1.5e11$ /bunch
- With initial DX training complete, we should look to finish during Au setup