



The data fiber story



sPHENIX case study and possible cases for ePIC

Jin Huang (BNL)


FELIX Readout for sPHENIX Tracker

≈ GTU, x1

sPHENIX streaming DAQ for tracker



Global Timing Module (NSLS II/sPHENIX) Receiving from RHIC RF low glitter clock source



ePIC

nonmature:

MVTX RU, 200M ch ALPIDE (ALICE/sPHENIX), FPHX (PHENIX) ≈RDO x48
 INTT ROC, 400k ch ≈4xRDO, x8

TPC FEE, 160k ch SAMPAv5 (ALICE/sPHENIX) ≈FEB+RDO, x624

BNL-712 / FELIX v2 x38 (ATLAS/sPHENIX), [Ref]

FELIX Fiber IO: 48x bidirectional 10Gbps in 2x MTP-48 ≈DAM, x38






TPC FEE

INTT ROC

MVTX

Beam pipe

sPHENIX TPC Data Fiber Cabling Plan, 1 of 24 sectors shown



— 48F MTP Cable
 ■ MTP coupler
 □ MTP-QSFP breakout
 — QSFP MTP cable
 □ QSFP Transceiver

One-way optical loss: 1.5dB

Parts list



<https://www.computer-crafts.com/products/>

Protoyped, manufactured and QA by ComputerCrafts|CC

#	Item	Part	Description
1	FELIX-> SOB	CCI/T40408PF48-003	48F MTP(F) to 48F MTP(F) on OM3 3.8mm round jacket Cable 3 meter length Pol 1-1, 48-48
2	48F MTP Cassette in SOB	CCI/56745-48MT-OM3	24 Port Duplex to 48F MTP(M) Cassette using (12X) quad LC couplers. (1X) 48F MTP - LC Hydra OM3
3	48F -> LC breakout in SOB	CCI/1000450-18I-48F	48F MTP(M) - LC Hydra assembly 48X 900um breakouts OM3 20" length
4	SOB -> DAQ room Patch	CCI/T40418PF48-008	48F MTP(F) to 48F MTP(M) on OM3 3.8mm round jacket Cable 8 meter length
5	DAQ room Patch	CCI/56349-MT	1U 19" 16 port MPO feedthru panel with 16X MPO couplers
6	DAQ room Patch -> 1E2 patch	CCI/T40408PF48-058	48F MTP(F) to 48F MTP(F) on OM3 3.8mm round jacket Cable 58 meter length, Pol 1-1 48-48
7	1E2 patch	CCI/56349-MT	1U 19" 16 port MPO feedthru panel with 16X MPO couplers
8	1E2 -> TPC endcap	CCI/T40418PF48-015	48F MTP(F) to 48F MTP(M) on OM3 3.8mm round aqua jacket Cable. Polarity straight (1-1, 48-48) 15 meter length on a collapsible reel.
9	TPC Endcap coupler	CCI/12214/USC	MTP-MTP Aqua adapter standard size with full flanges and opposing keys. Includes 2 dust caps.
9	TPC Endcap coupler (final desi	14995/USC	14995, Adapter, MTP® SC Footprint, Full Flange, Duplex, Opposed Key, Aqua, 4 Dust Plugs
10	TPC endcap breakout R1	?CCI/1000827-01-1.6	48 Fiber MTP(M) to 8X staggered 6F MTP(F) on OM3 8X 2mm OFNP Rnd. 1 Mtr breakout, 1.6 Mtr overall length
12	TPC endcap breakout R3	CCI/1000845-0.8	48F MTP(M) to 12X Staggered 4F MTP(F) on 3.8mm OM3 to staggered 2mm MT BO and a 0.8M TT

Standardized:



- MTP-48 trunk fiber: density + reliability;
- OM3 fiber: good enough, cost effective
- Custom breakout wherever needed to fit channel map and geometry
- Opposite keying coupler; female MTP connector at the mobile side of the coupler; separate TX/RX by rows in MTP-48 connector




Custom MTP-48 to MTP-12 breakout

Mechanical and channel-mapping design at BNL

Drawing and manufacture/QA at CCI: ~\$500 + 4wk LT



Installation at sPHENIX





SOB input MTP trunk Cable mapping, 1 of 24 sectors shown

Legend: 48F MTP trunk QSFP/FEE High speed link Low speed link



MTP 48F cable mapping												
MTP Trunk cable	FEE side fiber assignment in breakout at TPC endcap											
	1	2	3	4	5	6	7	8	9	10	11	12
Trunk Fiber to R3 12xFEEs	DAM->FEE SC	DAM->FEE JTag	DAM->FEE SC	DAM->FEE JTag	DAM->FEE SC	DAM->FEE JTag	DAM->FEE SC	DAM->FEE JTag	DAM->FEE SC	DAM->FEE JTag	DAM->FEE SC	DAM->FEE JTag
	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM JTag
	DAM->FEE SC	DAM->FEE JTag	DAM->FEE SC	DAM->FEE JTag	DAM->FEE SC	DAM->FEE JTag	DAM->FEE SC	DAM->FEE JTag	DAM->FEE SC	DAM->FEE JTag	DAM->FEE SC	DAM->FEE JTag
	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM JTag
Trunk Fiber to R2 8xFEEs	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag
	FEE->DAM data	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM data	FEE->DAM JTag
	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag
	FEE->DAM data	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM data	FEE->DAM JTag
Trunk Fiber to R1 6xFEEs	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag
	FEE->DAM data	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM data	FEE->DAM JTag
	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag
	FEE->DAM data	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM data	FEE->DAM JTag	FEE->DAM data	FEE->DAM data	FEE->DAM JTag
per-FEE break out mapping in 48F MTP -> 6x 12F MTP cable -> QSFP												
48F MTP 6 out of 48	DAM->FEE SC	DAM->FEE CLK	DAM->FEE JTag									
Fiber Number	12	11	10	9	8	7	6	5	4	3	2	1
QSFP Name	TX 1	TX 2	TX 3	TX 4	Empty	Empty	Empty	Empty	RX 4	RX 3	RX 2	RX 1
QSFP Assigned	FEE->DAM data	FEE->DAM data	Idle	FEE->DAM JTag					DAM->FEE Jtag	Clock	Idle	DAM->FEE SC

sPHENIX TPC Data Fiber Cabling Plan, 1 of 24 sectors shown



Exp. disconnect
10x 1U space requested



sPHENIX TPC Data Fiber Cabling Plan, 1 of 24 sectors shown





Rack room layout

Row 3, viewed outside in

Assignment Rack	RHIC infrastructure 3.1	LL1 3.2	EBDC TPC South 3.3	Patch/ TPC SOB South 3.4	EBDC TPC North/Sou 3.5	Patch/ TPC SOB North 3.6	EBDC TPC South 3.7	EBDC Other 3.8
1		1		1 Fiber Patch MVTX		1 Fiber Patch INTT		1
2		2		2 Fiber Patch		2 Fiber Patch INTT		2
3		3		3 Fiber Patch		3 Fiber Patch		
4		4	4 EBDC MVTX 1	4 Fiber Patch	4 EBDC TPC S5	4 Fiber Patch	4 EBDC TPC S1	
5		5		5 Fiber Patch TPC S1-4		5 Fiber Patch TPC N1-4		
6		6		6 Fiber Patch TPC S5-8		6 Fiber Patch TPC N5-8		6
7		7		7 Fiber Patch TPC S9-12		7 Fiber Patch TPC N9-12		7
8		8	8 EBDC MVTX 2		8 EBDC TPC S6		8 EBDC TPC N4	8 EBDC INTT1
9		9						9
10		10		10 SOB Spare		10 SOB TPOT		10
11		11						11
12		12	12 EBDC MVTX 3	12 SOB S1	12 EBDC TPC S7	12 SOB N1	12 EBDC TPC N5	12 EBDC INTT2
13		13		13		13		13
14		14		14 SOB S2		14 SOB N2		14
15		15		15		15		15
16		16	16 EBDC MVTX 4	16 SOB S3	16 EBDC TPC S8	16 SOB N3	16 EBDC TPC N6	16 EBDC INTT3
17		17		17		17		17
18		18		18 SOB S4		18 SOB N4		18
19		19		19		19		19
20		20	20 EBDC MVTX 5	20 SOB S5	20 EBDC TPC S9	20 SOB N5	20 EBDC TPC N7	20 EBDC INTT4
21		21		21		21		21
22		22		22 SOB S6		22 SOB N6		22
23		23		23		23		23
24		24	24 EBDC MVTX 6	24 SOB S7	24 EBDC TPC S10	24 SOB N7	24 EBDC TPC N8	24 EBDC INTT5
25		25		25		25		25
26		26		26 SOB S8		26 SOB N8		26
27		27		27		27		27
28		28	28 EBDC TPC S1	28 SOB S9	28 EBDC TPC S11	28 SOB N9	28 EBDC TPC N9	28 EBDC INTT6
29		29		29		29		29
30		30		30 SOB S10		30 SOB N10		30
31		31		31		31		31
32		32	32 EBDC TPC S2	32 SOB S11	32 EBDC TPC S12	32 SOB N11	32 EBDC TPC N10	32 EBDC INTT7
33		33		33		33		33
34		34		34 SOB S12		34 SOB N12		34
35		35		35		35		35
36		36	36 EBDC TPC S3	36 SOB Spare	36 EBDC TPC N1	36 SOB Spare	36 EBDC TPC N11	36 EBDC INTT8
37		37		37		37		37
38		38		38 SOB Spare		38 SOB Spare		38
39		39		39		39		39
40		40	40 EBDC TPC S4		40 EBDC TPC N2		40 EBDC TPC N12	40 EBDC Spare
41		41		41		41		41
42		42		42		42		42



Mighty-JACK + Sort-Out Box Diagram




SOB mapping table

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
70	MTP Trunk cable: MTP-A3						MTP Trunk cable: MTP-A2						MTP Trunk cable: MTP-A1						FELIX MTP Cables	
71	FEE	Channel	FEE MTP-A Fib.	FELIX MTP-B F.	JACK LC	Tranceivers	FEE	Channel	FEE MTP-A Fib.	FELIX MTP-B F.	JACK LC	Tranceivers	FEE	Channel	FEE MTP-A Fib.	FELIX MTP-B F.	JACK LC	Tranceivers	Idle ports	Idle ports
72	FEE-R3-0	DAM->FEE SC	MTP-A3-1	MTP-B1-2			FEE-R2-0	DAM->FEE SC	MTP-A2-1	MTP-B1-9			FEE-R1-0	DAM->FEE SC	MTP-A1-1	MTP-B2-7			MTP-B1-1	MTP-B2-1
73	FEE-R3-0	DAM->FEE JTag	MTP-A3-2			JACK-Slave0-TX0	FEE-R2-0	DAM->FEE CLK	MTP-A2-2			JACK-Slave3-TX0	FEE-R1-0	DAM->FEE CLK	MTP-A1-2			JACK-Slave7-TX0		MTP-B2-2
74	FEE-R3-1	DAM->FEE SC	MTP-A3-3	MTP-B1-3			FEE-R2-0	DAM->FEE JTag	MTP-A2-3			JACK-Slave3-TX1	FEE-R1-0	DAM->FEE JTag	MTP-A1-3			JACK-Slave7-TX1		
75	FEE-R3-1	DAM->FEE JTag	MTP-A3-4			JACK-Slave0-TX1	FEE-R2-1	DAM->FEE SC	MTP-A2-4	MTP-B1-11			FEE-R1-1	DAM->FEE SC	MTP-A1-4	MTP-B2-9				MTP-B2-4
76	FEE-R3-2	DAM->FEE SC	MTP-A3-5	MTP-B1-4			FEE-R2-1	DAM->FEE CLK	MTP-A2-5			JACK-Slave3-TX2	FEE-R1-1	DAM->FEE CLK	MTP-A1-5			JACK-Slave7-TX2		
77	FEE-R3-2	DAM->FEE JTag	MTP-A3-6			JACK-Slave0-TX2	FEE-R2-1	DAM->FEE JTag	MTP-A2-6			JACK-Slave3-TX3	FEE-R1-1	DAM->FEE JTag	MTP-A1-6			JACK-Slave7-TX3		MTP-B2-6
78	FEE-R3-3	DAM->FEE SC	MTP-A3-7	MTP-B1-5			FEE-R2-2	DAM->FEE SC	MTP-A2-7	MTP-B1-33			FEE-R1-2	DAM->FEE SC	MTP-A1-7	MTP-B2-11				
79	FEE-R3-3	DAM->FEE JTag	MTP-A3-8			JACK-Slave0-TX3	FEE-R2-2	DAM->FEE CLK	MTP-A2-8			JACK-Slave4-TX0	FEE-R1-2	DAM->FEE CLK	MTP-A1-8			JACK-Slave8-TX0	MTP-B1-8	MTP-B2-8
80	FEE-R3-4	DAM->FEE SC	MTP-A3-9	MTP-B1-6			FEE-R2-2	DAM->FEE JTag	MTP-A2-9			JACK-Slave4-TX1	FEE-R1-2	DAM->FEE JTag	MTP-A1-9			JACK-Slave8-TX1		
81	FEE-R3-4	DAM->FEE JTag	MTP-A3-10			JACK-Slave1-TX0	FEE-R2-3	DAM->FEE SC	MTP-A2-10	MTP-B1-35			Spare	DAM->FEE SC	MTP-A1-10				MTP-B1-10	MTP-B2-10
82	FEE-R3-5	DAM->FEE SC	MTP-A3-11	MTP-B1-7			FEE-R2-3	DAM->FEE CLK	MTP-A2-11			JACK-Slave4-TX2	Spare	DAM->FEE CLK	MTP-A1-11					
83	FEE-R3-5	DAM->FEE JTag	MTP-A3-12			JACK-Slave1-TX1	FEE-R2-3	DAM->FEE JTag	MTP-A2-12			JACK-Slave4-TX3	Spare	DAM->FEE JTag	MTP-A1-12				MTP-B1-12	MTP-B2-12
84	FEE-R3-0	FEE->DAM data	MTP-A3-13	MTP-B1-14			FEE-R2-0	FEE->DAM data	MTP-A2-13	MTP-B1-21			FEE-R1-0	FEE->DAM data	MTP-A1-13	MTP-B2-19			MTP-B1-13	MTP-B2-13
85	FEE-R3-0	FEE->DAM JTag	MTP-A3-14			JACK-Slave0-RX0	FEE-R2-0	FEE->DAM data	MTP-A2-14	MTP-B1-22			FEE-R1-0	FEE->DAM data	MTP-A1-14	MTP-B2-20				MTP-B2-14
86	FEE-R3-1	FEE->DAM data	MTP-A3-15	MTP-B1-15			FEE-R2-0	FEE->DAM JTag	MTP-A2-15			JACK-Slave3-RX1	FEE-R1-0	FEE->DAM JTag	MTP-A1-15			JACK-Slave7-RX1		
87	FEE-R3-1	FEE->DAM JTag	MTP-A3-16			JACK-Slave0-RX1	FEE-R2-1	FEE->DAM data	MTP-A2-16	MTP-B1-23			FEE-R1-1	FEE->DAM data	MTP-A1-16	MTP-B2-21				
88	FEE-R3-2	FEE->DAM data	MTP-A3-17	MTP-B1-16			FEE-R2-1	FEE->DAM data	MTP-A2-17	MTP-B1-24			FEE-R1-1	FEE->DAM data	MTP-A1-17	MTP-B2-22				
89	FEE-R3-2	FEE->DAM JTag	MTP-A3-18			JACK-Slave0-RX2	FEE-R2-1	FEE->DAM JTag	MTP-A2-18			JACK-Slave3-RX3	FEE-R1-1	FEE->DAM JTag	MTP-A1-18			JACK-Slave7-RX3		
90	FEE-R3-3	FEE->DAM data	MTP-A3-19	MTP-B1-17			FEE-R2-2	FEE->DAM data	MTP-A2-19	MTP-B1-45			FEE-R1-2	FEE->DAM data	MTP-A1-19	MTP-B2-23				
91	FEE-R3-3	FEE->DAM JTag	MTP-A3-20			JACK-Slave0-RX3	FEE-R2-2	FEE->DAM data	MTP-A2-20	MTP-B1-46			FEE-R1-2	FEE->DAM data	MTP-A1-20	MTP-B2-24			MTP-B1-20	
92	FEE-R3-4	FEE->DAM data	MTP-A3-21	MTP-B1-18			FEE-R2-2	FEE->DAM JTag	MTP-A2-21			JACK-Slave4-RX1	FEE-R1-2	FEE->DAM JTag	MTP-A1-21			JACK-Slave8-RX1		
93	FEE-R3-4	FEE->DAM JTag	MTP-A3-22			JACK-Slave1-RX0	FEE-R2-3	FEE->DAM data	MTP-A2-22	MTP-B1-47			Spare	FEE->DAM data	MTP-A1-22					
94	FEE-R3-5	FEE->DAM data	MTP-A3-23	MTP-B1-19			FEE-R2-3	FEE->DAM data	MTP-A2-23	MTP-B1-48			Spare	FEE->DAM data	MTP-A1-23					
95	FEE-R3-5	FEE->DAM JTag	MTP-A3-24			JACK-Slave1-RX1	FEE-R2-3	FEE->DAM JTag	MTP-A2-24			JACK-Slave4-RX3	Spare	FEE->DAM JTag	MTP-A1-24					
96	FEE-R3-6	DAM->FEE SC	MTP-A3-25	MTP-B1-26			FEE-R2-4	DAM->FEE SC	MTP-A2-25	MTP-B2-3			FEE-R1-3	DAM->FEE SC	MTP-A1-25	MTP-B2-31			MTP-B1-25	MTP-B2-25
97	FEE-R3-6	DAM->FEE JTag	MTP-A3-26			JACK-Slave1-TX2	FEE-R2-4	DAM->FEE CLK	MTP-A2-26			JACK-Slave5-TX0	FEE-R1-3	DAM->FEE CLK	MTP-A1-26			JACK-Slave8-TX2		MTP-B2-26
98	FEE-R3-7	DAM->FEE SC	MTP-A3-27	MTP-B1-27			FEE-R2-4	DAM->FEE JTag	MTP-A2-27			JACK-Slave5-TX1	FEE-R1-3	DAM->FEE JTag	MTP-A1-27			JACK-Slave8-TX3		
99	FEE-R3-7	DAM->FEE JTag	MTP-A3-28			JACK-Slave1-TX3	FEE-R2-5	DAM->FEE SC	MTP-A2-28	MTP-B2-5			FEE-R1-4	DAM->FEE SC	MTP-A1-28	MTP-B2-33				MTP-B2-28
100	FEE-R3-8	DAM->FEE SC	MTP-A3-29	MTP-B1-28			FEE-R2-5	DAM->FEE CLK	MTP-A2-29			JACK-Slave5-TX2	FEE-R1-4	DAM->FEE CLK	MTP-A1-29			JACK-Master-TX0		
101	FEE-R3-8	DAM->FEE JTag	MTP-A3-30			JACK-Slave2-TX0	FEE-R2-5	DAM->FEE JTag	MTP-A2-30			JACK-Slave5-TX3	FEE-R1-4	DAM->FEE JTag	MTP-A1-30			JACK-Master-TX1		MTP-B2-30
102	FEE-R3-10	DAM->FEE SC	MTP-A3-31	MTP-B1-29			FEE-R2-6	DAM->FEE SC	MTP-A2-31	MTP-B2-27			FEE-R1-5	DAM->FEE SC	MTP-A1-31	MTP-B2-35				
103	FEE-R3-10	DAM->FEE JTag	MTP-A3-32			JACK-Slave2-TX1	FEE-R2-6	DAM->FEE CLK	MTP-A2-32			JACK-Slave6-TX0	FEE-R1-5	DAM->FEE CLK	MTP-A1-32			JACK-Master-TX2	MTP-B1-32	MTP-B2-32
104	FEE-R3-11	DAM->FEE SC	MTP-A3-33	MTP-B1-30			FEE-R2-6	DAM->FEE JTag	MTP-A2-33			JACK-Slave6-TX1	FEE-R1-5	DAM->FEE JTag	MTP-A1-33			JACK-Master-TX3		
105	FEE-R3-11	DAM->FEE JTag	MTP-A3-34			JACK-Slave2-TX2	FEE-R2-7	DAM->FEE SC	MTP-A2-34	MTP-B2-29			Spare	DAM->FEE SC	MTP-A1-34				MTP-B1-34	MTP-B2-34
106	FEE-R3-11	DAM->FEE SC	MTP-A3-35	MTP-B1-31			FEE-R2-7	DAM->FEE CLK	MTP-A2-35			JACK-Slave6-TX2	Spare	DAM->FEE CLK	MTP-A1-35					
107	FEE-R3-11	DAM->FEE JTag	MTP-A3-36			JACK-Slave2-TX3	FEE-R2-7	DAM->FEE JTag	MTP-A2-36			JACK-Slave6-TX3	Spare	DAM->FEE JTag	MTP-A1-36				MTP-B1-36	MTP-B2-36
108	FEE-R3-6	FEE->DAM data	MTP-A3-37	MTP-B1-38			FEE-R2-4	FEE->DAM data	MTP-A2-37	MTP-B2-15			FEE-R1-3	FEE->DAM data	MTP-A1-37	MTP-B2-43			MTP-B1-37	MTP-B2-37
109	FEE-R3-6	FEE->DAM JTag	MTP-A3-38			JACK-Slave1-RX2	FEE-R2-4	FEE->DAM data	MTP-A2-38	MTP-B2-16			FEE-R1-3	FEE->DAM data	MTP-A1-38	MTP-B2-44				MTP-B2-38
110	FEE-R3-7	FEE->DAM data	MTP-A3-39	MTP-B1-39			FEE-R2-4	FEE->DAM JTag	MTP-A2-39			JACK-Slave5-RX1	FEE-R1-3	FEE->DAM JTag	MTP-A1-39			JACK-Slave8-RX3		
111	FEE-R3-7	FEE->DAM JTag	MTP-A3-40			JACK-Slave1-RX3	FEE-R2-5	FEE->DAM data	MTP-A2-40	MTP-B2-17			FEE-R1-4	FEE->DAM data	MTP-A1-40	MTP-B2-45				
112	FEE-R3-8	FEE->DAM data	MTP-A3-41	MTP-B1-40			FEE-R2-5	FEE->DAM data	MTP-A2-41	MTP-B2-18			FEE-R1-4	FEE->DAM data	MTP-A1-41	MTP-B2-46				
113	FEE-R3-8	FEE->DAM JTag	MTP-A3-42			JACK-Slave2-RX0	FEE-R2-5	FEE->DAM JTag	MTP-A2-42			JACK-Slave5-RX3	FEE-R1-4	FEE->DAM JTag	MTP-A1-42			JACK-Master-RX1		
114	FEE-R3-10	FEE->DAM data	MTP-A3-43	MTP-B1-41			FEE-R2-6	FEE->DAM data	MTP-A2-43	MTP-B2-39			FEE-R1-5	FEE->DAM data	MTP-A1-43	MTP-B2-47				
115	FEE-R3-10	FEE->DAM JTag	MTP-A3-44			JACK-Slave2-RX1	FEE-R2-6	FEE->DAM data	MTP-A2-44	MTP-B2-40			FEE-R1-5	FEE->DAM data	MTP-A1-44	MTP-B2-48			MTP-B1-44	
116	FEE-R3-11	FEE->DAM data	MTP-A3-45	MTP-B1-42			FEE-R2-6	FEE->DAM JTag	MTP-A2-45			JACK-Slave6-RX1	FEE-R1-5	FEE->DAM JTag	MTP-A1-45			JACK-Master-RX3		
117	FEE-R3-11	FEE->DAM JTag	MTP-A3-46			JACK-Slave2-RX2	FEE-R2-7	FEE->DAM data	MTP-A2-46	MTP-B2-41			Spare	FEE->DAM data	MTP-A1-46					
118	FEE-R3-11	FEE->DAM data	MTP-A3-47	MTP-B1-43			FEE-R2-7	FEE->DAM data	MTP-A2-47	MTP-B2-42			Spare	FEE->DAM data	MTP-A1-47					
119	FEE-R3-11	FEE->DAM JTag	MTP-A3-48			JACK-Slave2-RX3	FEE-R2-7	FEE->DAM JTag	MTP-A2-48			JACK-Slave6-RX3	Spare	FEE->DAM JTag	MTP-A1-48					


ePIC data flow [Sep-23 ePIC Computing @ UIC]

Throughout the data flow: monitoring, QA, feedback towards operation

See also: next session on reco.



Latency :



Possible facilities:




- Reference:
- ePIC DAQ wiki: <https://wiki.bnl.gov/EPIC/index.php?title=DAQ>
 - ECCE computing plan, [Nucl.Instrum.Meth.A 1047 \(2023\) 167859](#)



Cases for ePIC

Up to 48x RDO → 2x MTP-48 to LC (or LC-duplex) breakout
10Gbps up, 2.8-10Gbps down





→ 2x fiber trunk/patch

→ 1x DAM



Up to 48x VTRx+ → 2x MTP-48 to MTP-12 breakout
10Gbps up, 2.865Gbps down (3byte/BX in 8b10b)




→ (Aggregator/DAM L1 if needed) → DAM



Extra Information



Streaming DAQ has been selected for EIC since YR and preCDR time



**ATHENA estimates assumed much more suppression at early stages, but still 100Gbps output. (See J. Landgraf talk at SRO X)*


EIC Streaming Readout (From Fernando Barbosa's talk at AI4EIC Sep. 9, 2021)



Summary of Channel Counts

Detector Group	Channels					RDO	Fiber	DAM	Data Volume (RDO) (Gb/s)	Data Volume (To Tape) (Gb/s)
	MAPS	AC-LGAD	SiPM/PMT	MPGD	HRPPD					
Tracking (MAPS)	36B					400	800	17	26	26
Tracking (MPGD)				202k		118	236	5	1	1
Calorimeters	500M		104k			451	1132	19	502	28
Far Forward	300M	2.6M	170k			178	492	8	15	8
Far Backward	82M		2k			50	100	4	150	1
PID (TOF)		7.8M				500	1500	17	31	1
PID Cherenkov			320k		140k	1283	2566	30	1275	32
TOTAL	36.9B	10.4M	596k	202k	140k	2980	6826	100	2,000	96


Summary of Data Flow



Streaming DAQ – Computing : consideration 1

For kickstart the discussion, please interrupt to discuss at any moment


- ▶ Streaming DAQ naturally leads to no clear separation of streaming DAQ and computing
 - Streaming DAQ relies on data reduction computationally (i.e. no real-time triggering) → Any data reduction in streaming DAQ is a computing job
 - Which could be done at ASIC, FPGA, online-computers
 - Example could be zero-suppression (simple or sophisticated), feature extraction (e.g. amplitude in calo and tracklet in FB tracker)
 - Require minimal loss of collision signal; any data reduction require stringent bias control/study
- ▶ Citing ePIC software principles <https://eic.github.io/activities/principles.html> :
We will have an unprecedented compute-detector integration:
 - We will have a common software stack for online and offline software, including the processing of streamed data and its time-ordered structure.
 - We aim for autonomous alignment and calibration.
 - We aim for a rapid, near-real-time turnaround of the raw data to online and offline productions.



Streaming DAQ – Computing : consideration 2

For kickstart the discussion, please interrupt to discuss at any moment

- ▶ Sooner or later, a copy of data is stored and saved for permanent storage
- ▶ This stage of first permanent storage could be viewed as a DAQ – computing boundary



Streaming DAQ – Computing : consideration 2

For kickstart the discussion, please interrupt to discuss at any moment

- ▶ Paid by project
- ▶ Has a hard archival limit ($O(100\text{Gbps})$) from both throughput and tape cost
- ▶ Main goal on “online-computing” is data reduction to fit output pipeline
- ▶ Stringent quality and bias control for any lossy data reduction
- ▶ As minimal reduction as affordable to
 - (1) reduce unrecoverable systematic uncertainty
 - (2) reduce complexity, cost, failure modes.
 - Any processing beyond minimal need a physics motivation to justify project cost/schedule reviews (and possible descope reviews)
- ▶ High availability: any down time cost $\$O(0.1)\text{M/day}$ → usually on host lab
- ▶ Driven by collaboration, operation fund
- ▶ We would like to complete within a small latency ($<O(1)\text{week}$)
 - Usually driven by calibration and debugs
- ▶ Main goal on “offline-computing” is to bring out physics objects for analysis
- ▶ Quality control for reconstruction
- ▶ Can afford to redo reconstruction if new algorithm or with new physics insights (at cost of time, effort and computing)
- ▶ Can wait for short interruptions and can be distributed

Before permanent archival: DAQ

After permanent archival: Computing

(last session today)

Towards the computing review Oct 19-20: the charge

1. At this stage, approximately ten years prior to data collection, is there a **comprehensive and cost-effective long-term plan for the software and computing** of the experiment?
2. Are the plans for **integrating international partners'** contributions adequate at this stage of the project?
3. Are the plans for software and computing integrated with the HEP/NP **community developments**, especially given data taking in ten years?
4. Are the **resources** for software and computing **sufficient** to deliver the detector conceptual and technical **design reports**?
5. Are the **ECSJI** plans to **integrate** into the software and computing plans of the experiment sufficient?

EPIC Detector Scale and Technology Summary:

Detector System	Channels	RDO	Gb/s (RDO)	Gb/s (Tape)	DAM Boards	Readout Technology	Notes
Si Tracking: 3 vertex layers, 2 sagitta layers, 5 backward disks, 5 forward disks	7 m ² 36B pixels 5,200 MAPS sensors	400	26	26	17	MAPS: Several flavors: curved its-3 sensors for vertex Its-2 staves / w improvements	Fiber count limited by Artix Transceivers
MPGD tracking: Electron Endcap Hadron Endcap Inner Barrel Outer Barrel	16k 16k 30k 140k	8 8 30 72	1	.2	5	uRWELL / SALSA uRWELL / SALSA MicroMegas / SALSA uRWELL / SALSA	64 Channels/Salsa, up to 8 Salsa / FEB&RDO 256 ch/FEB for MM 512 ch/FEB for uRWELL
Forward Calorimeters: LFHICAL HCAL insert* ECAL W/SciFi Barrel Calorimeters: HCAL ECAL SciFi/PB ECAL ASTROPIX Backward Calorimeters: NHICAL ECAL (PWO)	63,280 8k 16,000 7680 5,760 500M pixels 3,256 2852	74 9 64 9 32 230 18 12	502	28	19	SiPM / HG2CROC SiPM / HG2CROC SiPM / Discrete SiPM / HG2CROC SiPM / HG2CROC Astropix SiPM / HG2CROC SiPM / Discrete	Assume HGCROC 56 ch * 16 ASIC/RDO = 896 ch/RDO 32 ch/FEB, 16 FEB/RDO estimate, 8 FEB/RDO conserve. HCAL 1536x5 *HCAL insert not in baseline Assume similar structure to its-2 but with sensors with 250k pixels for RDO calculation. 24 ch/feb, 8 RDO estimate, 23 RDO conservative
Far Forward: B0: 3 MAPS layers 1 or 2 AC-LGAD layer 2 Roman Pots 2 Off Momentum ZDC: Crystal Calorimeter 32 Silicon pad layer 4 silicon pixel layers 2 boxes scintillator	300M pixel 1M 1M (4 x 135k layers x 2 dets) 640k (4 x 80k layers x 2 dets) 400 11,520 160k 72	10 30 64 42 10 10 10 2	15	8	8	MAPS AC-LGAG / EICROC AC-LGAD / EICROC AC-LGAD / EICROC APD HGCROC as per ALICE FoCal-E	3x20cmx20cm 600^cm layers (1 or 2 layers) 13 x 26cm layers 9.6 x 22.4cm layers There are alternatives for AC-LGAD using MAPS and low channel count DC-LGAD timing layers
Far Backward: Low Q Tagger 1 Low Q Tagger 2 Low Q Tagger 1+2 Cal 2 x Lumi PS Calorimeter Lumi PS tracker	1.3M pixels 480k pixels 700 1425/75 80M pixels	12 12 1 1 24	150	1	4	Timepix4 Timepix4 (SiPM/HG2CROC) / (PMT/FLASH) Timepix4	
PID-TOF: Barrel Endcap	2.2M 5.6 M	288 212	31	1	17	AC-LGAD / EICROC (strip) AC-LGAD / EICROC (pixel)	bTOF 128 ch/ASIC, 64 ASIC/RDO eTOF 1024 pixel/ASIC, 24-48 ASIC/RDO (41 ave)
PID-Cherenkov: dRICH pFRICH DIRC	317,952 69,632 69,632	1242 17 24	1240	13.5 12.5 6	28 1 1	SiPM / ALCOR HRPPD / EICROC (strip or pixel) HRPPD / EICROC (strip or pixel)	Worse case after radiation. Includes 30% timing window. Requires further data volume reduction software trigger