




5 mm Exit y vs. x (Success)




5 mm Exit y vs. x (Failure)




5 mm Exit x vs. z (Failure)



5 mm Exit y vs. z (Failure)




5 mm Entrance Theta




Entrance Theta (deg)

5 mm Exit Theta (Success)




Exit Theta (deg)

5 mm Exit Phi (Success)




Exit Phi (deg)

5 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)


5 mm Entrance x Efficiency




5 mm Entrance y Efficiency




5 mm Entrance Theta Efficiency




5 mm Detection y vs. x (Success)




5 mm Exit x vs. Entrance x (Success)




5 mm Exit x vs. Entrance y (Success)




5 mm Exit y vs. Entrance x (Success)




5 mm Exit y vs. Entrance y (Success)




10 mm Exit y vs. x (Success)




10 mm Exit y vs. x (Failure)




10 mm Exit x vs. z (Failure)



10 mm Exit y vs. z (Failure)




10 mm Entrance Theta




Entrance Theta (deg)

10 mm Exit Theta (Success)




Exit Theta (deg)

10 mm Exit Phi (Success)




Exit Phi (deg)

10 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)

10 mm Entrance x Efficiency




Entrance x (mm)

10 mm Entrance y Efficiency




Entrance y (mm)

10 mm Entrance Theta Efficiency




Entrance Theta (deg)

10 mm Detection y vs. x (Success)




Detection x (mm)


10 mm Exit x vs. Entrance x (Success)




10 mm Exit x vs. Entrance y (Success)




10 mm Exit y vs. Entrance x (Success)




10 mm Exit y vs. Entrance y (Success)




15 mm Exit y vs. x (Success)




15 mm Exit y vs. x (Failure)




15 mm Exit x vs. z (Failure)



15 mm Exit y vs. z (Failure)




15 mm Entrance Theta




Entrance Theta (deg)

15 mm Exit Theta (Success)




Exit Theta (deg)

15 mm Exit Phi (Success)




Exit Phi (deg)

15 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)


15 mm Entrance x Efficiency




15 mm Entrance y Efficiency




15 mm Entrance Theta Efficiency




15 mm Detection y vs. x (Success)




15 mm Exit x vs. Entrance x (Success)




15 mm Exit x vs. Entrance y (Success)




15 mm Exit y vs. Entrance x (Success)




15 mm Exit y vs. Entrance y (Success)




20 mm Exit y vs. x (Success)




20 mm Exit y vs. x (Failure)




20 mm Exit x vs. z (Failure)



20 mm Exit y vs. z (Failure)




20 mm Entrance Theta




Entrance Theta (deg)

20 mm Exit Theta (Success)




Exit Theta (deg)

20 mm Exit Phi (Success)




Exit Phi (deg)

20 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)

20 mm Entrance x Efficiency




Entrance x (mm)

20 mm Entrance y Efficiency




Entrance y (mm)

20 mm Entrance Theta Efficiency




Entrance Theta (deg)

20 mm Detection y vs. x (Success)




Detection x (mm)


20 mm Exit x vs. Entrance x (Success)




20 mm Exit x vs. Entrance y (Success)




20 mm Exit y vs. Entrance x (Success)




20 mm Exit y vs. Entrance y (Success)




25 mm Exit y vs. x (Success)




25 mm Exit y vs. x (Failure)




25 mm Exit x vs. z (Failure)



25 mm Exit y vs. z (Failure)




25 mm Entrance Theta




Entrance Theta (deg)

25 mm Exit Theta (Success)




Exit Theta (deg)

25 mm Exit Phi (Success)




Exit Phi (deg)

25 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)

25 mm Entrance x Efficiency




Entrance x (mm)

25 mm Entrance y Efficiency




Entrance y (mm)

25 mm Entrance Theta Efficiency




Entrance Theta (deg)

25 mm Detection y vs. x (Success)




Detection x (mm)


25 mm Exit x vs. Entrance x (Success)




25 mm Exit x vs. Entrance y (Success)




25 mm Exit y vs. Entrance x (Success)




25 mm Exit y vs. Entrance y (Success)




30 mm Exit y vs. x (Success)




30 mm Exit y vs. x (Failure)




30 mm Exit x vs. z (Failure)



30 mm Exit y vs. z (Failure)




30 mm Entrance Theta




Entrance Theta (deg)

30 mm Exit Theta (Success)




Exit Theta (deg)

30 mm Exit Phi (Success)




Exit Phi (deg)

30 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)

30 mm Entrance x Efficiency




Entrance x (mm)

30 mm Entrance y Efficiency




Entrance y (mm)

30 mm Entrance Theta Efficiency




Entrance Theta (deg)

30 mm Detection y vs. x (Success)




Detection x (mm)


30 mm Exit x vs. Entrance x (Success)




30 mm Exit x vs. Entrance y (Success)




30 mm Exit y vs. Entrance x (Success)




30 mm Exit y vs. Entrance y (Success)




35 mm Exit y vs. x (Success)




35 mm Exit y vs. x (Failure)




35 mm Exit x vs. z (Failure)



35 mm Exit y vs. z (Failure)




35 mm Entrance Theta




Entrance Theta (deg)

35 mm Exit Theta (Success)




Exit Theta (deg)

35 mm Exit Phi (Success)




Exit Phi (deg)

35 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)

35 mm Entrance x Efficiency




Entrance x (mm)

35 mm Entrance y Efficiency




Entrance y (mm)

35 mm Entrance Theta Efficiency




Entrance Theta (deg)

35 mm Detection y vs. x (Success)




Detection x (mm)


35 mm Exit x vs. Entrance x (Success)




35 mm Exit x vs. Entrance y (Success)




35 mm Exit y vs. Entrance x (Success)




35 mm Exit y vs. Entrance y (Success)




40 mm Exit y vs. x (Success)




40 mm Exit y vs. x (Failure)




40 mm Exit x vs. z (Failure)



40 mm Exit y vs. z (Failure)




40 mm Entrance Theta




Entrance Theta (deg)

40 mm Exit Theta (Success)




Exit Theta (deg)

40 mm Exit Phi (Success)




Exit Phi (deg)

40 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)

40 mm Entrance x Efficiency




Entrance x (mm)

40 mm Entrance y Efficiency




Entrance y (mm)

40 mm Entrance Theta Efficiency




Entrance Theta (deg)

40 mm Detection y vs. x (Success)




Detection x (mm)


40 mm Exit x vs. Entrance x (Success)




40 mm Exit x vs. Entrance y (Success)




40 mm Exit y vs. Entrance x (Success)




40 mm Exit y vs. Entrance y (Success)




45 mm Exit y vs. x (Success)




45 mm Exit y vs. x (Failure)




45 mm Exit x vs. z (Failure)



45 mm Exit y vs. z (Failure)




45 mm Entrance Theta




Entrance Theta (deg)

45 mm Exit Theta (Success)




Exit Theta (deg)

45 mm Exit Phi (Success)




Exit Phi (deg)

45 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)

45 mm Entrance x Efficiency




Entrance x (mm)

45 mm Entrance y Efficiency




Entrance y (mm)

45 mm Entrance Theta Efficiency




Entrance Theta (deg)

45 mm Detection y vs. x (Success)




Detection x (mm)


45 mm Exit x vs. Entrance x (Success)




45 mm Exit x vs. Entrance y (Success)




45 mm Exit y vs. Entrance x (Success)




45 mm Exit y vs. Entrance y (Success)




50 mm Exit y vs. x (Success)




50 mm Exit y vs. x (Failure)




50 mm Exit x vs. z (Failure)



50 mm Exit y vs. z (Failure)




50 mm Entrance Theta




Entrance Theta (deg)

50 mm Exit Theta (Success)




Exit Theta (deg)

50 mm Exit Phi (Success)




Exit Phi (deg)

50 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)

50 mm Entrance x Efficiency




Entrance x (mm)

50 mm Entrance y Efficiency




Entrance y (mm)

50 mm Entrance Theta Efficiency




Entrance Theta (deg)

50 mm Detection y vs. x (Success)




Detection x (mm)


50 mm Exit x vs. Entrance x (Success)




50 mm Exit x vs. Entrance y (Success)




50 mm Exit y vs. Entrance x (Success)




50 mm Exit y vs. Entrance y (Success)




55 mm Exit y vs. x (Success)




55 mm Exit y vs. x (Failure)




55 mm Exit x vs. z (Failure)



55 mm Exit y vs. z (Failure)




55 mm Entrance Theta




Entrance Theta (deg)

55 mm Exit Theta (Success)




Exit Theta (deg)

55 mm Exit Phi (Success)




Exit Phi (deg)

55 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)

55 mm Entrance x Efficiency




Entrance x (mm)

55 mm Entrance y Efficiency




Entrance y (mm)

55 mm Entrance Theta Efficiency




Entrance Theta (deg)

55 mm Detection y vs. x (Success)




Detection x (mm)


55 mm Exit x vs. Entrance x (Success)




55 mm Exit x vs. Entrance y (Success)




55 mm Exit y vs. Entrance x (Success)




55 mm Exit y vs. Entrance y (Success)




60 mm Exit y vs. x (Success)




60 mm Exit y vs. x (Failure)




60 mm Exit x vs. z (Failure)



60 mm Exit y vs. z (Failure)




60 mm Entrance Theta




Entrance Theta (deg)

60 mm Exit Theta (Success)




Exit Theta (deg)

60 mm Exit Phi (Success)




Exit Phi (deg)

60 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)

60 mm Entrance x Efficiency




Entrance x (mm)

60 mm Entrance y Efficiency




Entrance y (mm)

60 mm Entrance Theta Efficiency




Entrance Theta (deg)

60 mm Detection y vs. x (Success)




Detection x (mm)


60 mm Exit x vs. Entrance x (Success)




60 mm Exit x vs. Entrance y (Success)




60 mm Exit y vs. Entrance x (Success)




60 mm Exit y vs. Entrance y (Success)




65 mm Exit y vs. x (Success)




65 mm Exit y vs. x (Failure)




65 mm Exit x vs. z (Failure)



65 mm Exit y vs. z (Failure)




65 mm Entrance Theta




Entrance Theta (deg)

65 mm Exit Theta (Success)




Exit Theta (deg)

65 mm Exit Phi (Success)




Exit Phi (deg)

65 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)


65 mm Entrance x Efficiency




65 mm Entrance y Efficiency




65 mm Entrance Theta Efficiency




65 mm Detection y vs. x (Success)




65 mm Exit x vs. Entrance x (Success)




65 mm Exit x vs. Entrance y (Success)




65 mm Exit y vs. Entrance x (Success)




65 mm Exit y vs. Entrance y (Success)




70 mm Exit y vs. x (Success)




70 mm Exit y vs. x (Failure)




70 mm Exit x vs. z (Failure)



70 mm Exit y vs. z (Failure)




70 mm Entrance Theta




Entrance Theta (deg)

70 mm Exit Theta (Success)




Exit Theta (deg)

70 mm Exit Phi (Success)




Exit Phi (deg)

70 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)


70 mm Entrance x Efficiency




70 mm Entrance y Efficiency




70 mm Entrance Theta Efficiency




70 mm Detection y vs. x (Success)




70 mm Exit x vs. Entrance x (Success)




70 mm Exit x vs. Entrance y (Success)




70 mm Exit y vs. Entrance x (Success)




70 mm Exit y vs. Entrance y (Success)




75 mm Exit y vs. x (Success)




75 mm Exit y vs. x (Failure)




75 mm Exit x vs. z (Failure)



75 mm Exit y vs. z (Failure)




75 mm Entrance Theta




Entrance Theta (deg)

75 mm Exit Theta (Success)




Exit Theta (deg)

75 mm Exit Phi (Success)




Exit Phi (deg)

75 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)


75 mm Entrance x Efficiency




75 mm Entrance y Efficiency




75 mm Entrance Theta Efficiency




75 mm Detection y vs. x (Success)




75 mm Exit x vs. Entrance x (Success)




75 mm Exit x vs. Entrance y (Success)




75 mm Exit y vs. Entrance x (Success)




75 mm Exit y vs. Entrance y (Success)




80 mm Exit y vs. x (Success)




80 mm Exit y vs. x (Failure)




80 mm Exit x vs. z (Failure)



80 mm Exit y vs. z (Failure)




80 mm Entrance Theta




Entrance Theta (deg)

80 mm Exit Theta (Success)




Exit Theta (deg)

80 mm Exit Phi (Success)




Exit Phi (deg)

80 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)

80 mm Entrance x Efficiency




Entrance x (mm)

80 mm Entrance y Efficiency




Entrance y (mm)

80 mm Entrance Theta Efficiency




Entrance Theta (deg)

80 mm Detection y vs. x (Success)




Detection x (mm)


80 mm Exit x vs. Entrance x (Success)




80 mm Exit x vs. Entrance y (Success)




80 mm Exit y vs. Entrance x (Success)




80 mm Exit y vs. Entrance y (Success)




85 mm Exit y vs. x (Success)




85 mm Exit y vs. x (Failure)




85 mm Exit x vs. z (Failure)



85 mm Exit y vs. z (Failure)




85 mm Entrance Theta




Entrance Theta (deg)

85 mm Exit Theta (Success)




Exit Theta (deg)

85 mm Exit Phi (Success)




Exit Phi (deg)

85 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)


85 mm Entrance x Efficiency




85 mm Entrance y Efficiency




85 mm Entrance Theta Efficiency




85 mm Detection y vs. x (Success)




85 mm Exit x vs. Entrance x (Success)




85 mm Exit x vs. Entrance y (Success)




85 mm Exit y vs. Entrance x (Success)




85 mm Exit y vs. Entrance y (Success)




90 mm Exit y vs. x (Success)




90 mm Exit y vs. x (Failure)




90 mm Exit x vs. z (Failure)



90 mm Exit y vs. z (Failure)




90 mm Entrance Theta




Entrance Theta (deg)

90 mm Exit Theta (Success)




Exit Theta (deg)

90 mm Exit Phi (Success)




Exit Phi (deg)

90 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)


90 mm Entrance x Efficiency




90 mm Entrance y Efficiency




90 mm Entrance Theta Efficiency




90 mm Detection y vs. x (Success)




90 mm Exit x vs. Entrance x (Success)




90 mm Exit x vs. Entrance y (Success)




90 mm Exit y vs. Entrance x (Success)




90 mm Exit y vs. Entrance y (Success)




95 mm Exit y vs. x (Success)




95 mm Exit y vs. x (Failure)




95 mm Exit x vs. z (Failure)



95 mm Exit y vs. z (Failure)




95 mm Entrance Theta




Entrance Theta (deg)

95 mm Exit Theta (Success)




Exit Theta (deg)

95 mm Exit Phi (Success)




Exit Phi (deg)

95 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)

95 mm Entrance x Efficiency




Entrance x (mm)

95 mm Entrance y Efficiency




Entrance y (mm)

95 mm Entrance Theta Efficiency




Entrance Theta (deg)

95 mm Detection y vs. x (Success)




Detection x (mm)


95 mm Exit x vs. Entrance x (Success)




95 mm Exit x vs. Entrance y (Success)




95 mm Exit y vs. Entrance x (Success)




95 mm Exit y vs. Entrance y (Success)




100 mm Exit y vs. x (Success)




100 mm Exit y vs. x (Failure)




100 mm Exit x vs. z (Failure)



100 mm Exit y vs. z (Failure)




100 mm Entrance Theta




Entrance Theta (deg)

100 mm Exit Theta (Success)




Exit Theta (deg)

100 mm Exit Phi (Success)




Exit Phi (deg)

100 mm Exit Theta vs. Entrance Theta (Success)




Entrance Theta (deg)

100 mm Entrance x Efficiency




Entrance x (mm)

100 mm Entrance y Efficiency




Entrance y (mm)

100 mm Entrance Theta Efficiency




Entrance Theta (deg)

100 mm Detection y vs. x (Success)




Detection x (mm)


100 mm Exit x vs. Entrance x (Success)



100 mm Exit x vs. Entrance y (Success)



100 mm Exit y vs. Entrance x (Success)



100 mm Exit y vs. Entrance y (Success)

