



# sPHENIX Status RHIC Coordination Meeting

March 25<sup>th</sup>, 2025

Rosi Reed
Lehigh University
sPHENIX Run Coordinator






Ron Belmont
UNC Greensboro
sPHENIX Deputy Run Coordinator



## Run 25 Final Preparations

- Pink sheets, AESRC walkthrough, "roll-up" test, Tier 1 laser inspection complete
- All subsystems installed (sEPD, outer donuts)
- TPC HV gain scans found ideal gain at 98% optimal
- Line laser alignment technique validated
  - 2 out of 6 complete
- New buffer boxes in use
  - Old BBs currently being cleaned
- Poletip doors closed
- Magnet hipot test today (successful), interlock verification
  - Magnet PS test/ramp on Thursday, keep on after that
  - Field-on cosmics are important!





### Donuts are alive

South, InnerDonut, Outer3: diffM

South, Outer Donut, 1: diffM








South, InnerDonut, Outer4: diffM

South.OuterDonut.2:diffM South.OuterDonut.4:diffM

#### sPHENIX Grafana



## Conclusions/Outlook


- All subsystems are installed!
  - 3.5 B Field Off Cosmics
- Donuts Counters are in and running
  - Still need beam commissioning
- Dry runs for sPHENIX shift crews this week
- TPC improved firmware deployment this week

Rosi Reed

## Back-Up

Rosi Reed 5

## Shift Accomplishments TPC



Rosi Reed