



TB 2025 - CERN Longitudinally segmented Forward HCal (LFHCal)

September 17, 2025

Friederike Bock (ORNL)



Test Beam Plans 2025 - Original Plan



Requested time: 1 week each **Main purpose:** Resultion studies

Location: CERN SPS (29th Oct) & PS (19th Nov.)

Setup:

Very similar to 2024 setup, with more modules


8 full 8M modules (ideally 40x40x132 cm)


Readout with H2GCROCs

Same setup in both areas

Main expected measurements:

- Energy resolution for hadrons and electrons
- Assessment of longitudinal/transversal leakage
- Longitudinal shower development
- Final-Flexible PCB validation & first long PCB validation







Necessary components for full setup



2/9

For the Setup at CERN

- 8 8M absorber structures + moving structures
- 480 working SiPM layers:
 - ► 3840 wrapped tiles
 - ► 480 "chocolate bars" (4x2 wrapped tiles assembled)
 - ► 480 flex PCBs equipped with SiPMs
- 8 long transfer boards
- 8 summing boards
- ullet 4 (+1) HGCROC boards & 4(+1) KCUs
- Cables + mechanical structure to hold read-out boards
- Trigger paddles + supplies
- Power supplies, DAQ computer
- Readout-Software + Analysis-Software

Additional things for testing

- Switchable mini-summing board
- Shorter transfer boards
- Break-out board for long board


Each of the components necessary at CERN ideally comes with spares (i.e. 2 long boards, 2 summing boards, 20 SiPM layers ...). Each of the more complex components should have a test productions (i.e. small sample) to verify design.



Test Beam 2025: Where are we?



3/9






Test Beam 2025: Where are we?



3/9



Clearly we aren't where we needed to be on all fronts, but heroic efforts are being made! THANK YOU!



what do we have or are expecting in the next weeks? epic



Absorber:

- ▶ 8 x 8M modules at ORNL and ready to be shipped
- ► Lifting and support frames available

Layers:

- ► 3500 tiles produced at FNAL + 1500 tiles from old production
- ► Valpo + MSU cleaned & wrapped 1200 new tiles + ORNL wrapped 1200 tiles from old production ⇒ 300 "cholocate bars" available
- ightharpoonup pprox 70 fully assembled 2024 layers available (incl. flex boards)
- ▶ 20 new flex boards (slighly different geometry ease of connection) arriving this week

Connection & Summing electronics:

- ▶ 8 short long boards from 2024
- ► 2 new long boards arriving next week
- ► 2 break-out boards arriving mid October
- ► Summing board being designed by Garbor (arrival early Nov?)

Readout-electronics & software:

- ▶ 2.5 HGCROC boards (2 will be shipped to CERN directly by Carlos)
- ▶ 2 KCUs (trying to only 2 KCUs with 2 HGCROC boards each)
- ► Standalone DAQ software exists & working integration in RCDAQ ongoing
- ► First version of analysis software also exists and is being expanded



Our modified TB proposal for PS:



Requested time: 1 week

Main purpose: EM-response & shower development studies

Location: PS (19th Nov.)


Setup:

2 modules (20x20x132 cm)

Readout with 8 H2GCROCs (max 512 channels)

Main expected results:

- Energy resolution electrons (should be fully contained)
- Longitudinal shower development for:
 - ► electrons
 - ▶ hadrons
- HGCROC dynamic range assessment possible summing board studies
- Final-Flexible PCB validation & first long





Our modified TB proposal for PS:



Requested time: 1 week

Main purpose: EM-response & shower development studies

Location: PS (19th Nov.)


Setup:

2 modules (20×20×132 cm)

Readout with 8 H2GCROCs (max 512 channels)

Main expected results:


- Energy resolution electrons (should be fully contained)
- Longitudinal shower development for:
 - ► electrons
 - hadrons
- HGCROC dynamic range assessment, possible summing board studies
- Final-Flexible PCB validation & first long
 PCB validation






Why is this important? - Physics








- We can learn a lot about simulation from longitudinal showers of e^- and hadrons
- e^- : Quality of readout & modeling in simulations
- h: Quality of hadron shower models




Why is this important? - Physics



7/9






- High granularity enables reconstruction of first interaction
- This is well described in MC & easy to extract MC truth





Why is this important? - Physics



8/9







Longitudinal profile from shower start gives more detailed look into shower model



Necessary components for 2 module setup



9/9

- 2 8M absorber structures + moving structures
- 120 working SiPM layers:
 - ► 960 wrapped tiles
 - ► 120 "chocolate bars" (4x2 wrapped tiles assembled)
 - ▶ 120 flex PCBs equipped with SiPMs (need SiPMs from BNL + first 10 protoypes to decided manufacturing, alternatively could use older layers)
- 2 long transfer boards (on the way)
- 2 summing boards (not absolutely necessary, but might arrive in time)
- 4 (+1) HGCROC boards & 4(+1) KCUs
- Cables + mechanical structure to hold read-out boards
- Trigger paddles + supplies
- Power supplies, DAQ computer
- Readout-Software + Analysis-Software
- Break-out board for long board (ordered) or short long boards (8 availables)