Using Gravitational Lensing to measure Dark Matter and Dark Energy in the Universe

Erin Sheldon

Brookhaven National Laboratory

July 16, 2019

About This Lecture

- The target audience is students who have taken an intro-level physics class at university.
- I'm also relying on some information the intro to cosmology by Paul Stankus. But if you were not there, that's ok, feel free to ask a question.
- My goal is to introduce basic concepts and give some examples
- I encourage questions. *I don't care if I get through all of the material*
- In the interest of pedagogy, I ask those in the room with PhDs to please refrain from commenting or asking advanced questions :)

Outline

- Very brief introduction to cosmology
- Introduction to Gravitational Lensing
- How we learn about cosmology using lensing
- Some examples

Cosmology

Introduction to Cosmology

- I'm building off of Paul's lecture on cosmology.
- I'll focus on the main topics pertaining to lensing

What Makes Up the Universe?

- Particles – people – planets – stars – galaxies
- What is the composition of distant objects?
- What is the mass density of the universe?
- What fraction of the mass in the universe is dark matter?

DES/Erin Sheldon

How is matter distributed?

- Where are the galaxies and dark matter in the universe, over large scales?





Hubble UDF



SDSS Galaxy Locations (M. Blanton)

What is the history of the universe?

- The universe is expanding. Galaxies farther away from us moving away faster and their light is redshifted
- That is our view, but you would see the same thing from any other galaxy in the universe
- We can get an estimate of distance from the velocity/redshift.
- Because we see these galaxies as they were far back in time, the history is tied to the question of where things are.



What is the history of the universe?

- We expected the expansion to decelerate.
- The measurements indicated it *did* decelerate for a long time, but then began to accelerate!
- This mystery is called Dark Energy





Model of the expansion history (WMAP)

The Big Mysteries We Want to Study

- What is the Dark Matter? Where is it and how much is there?
- What is the Dark Energy? What are its propeties and how much is there?



Gravitational Lensing



HST/NASA



Gravitational Lensing

- Gravitational lensing is the apparent bending of light rays as they pass massive objects





$\hat{\alpha}$
S
ξ
η
α
β
θ
O
D_{ls}
D_l
D_s

Gravitational Lensing Compared To Ordinary Lensing

- Similar in that the magnification depends on the curvature of the lens and the distances.

$$\frac{1}{o} + \frac{1}{i} = \frac{1}{f}$$
$$m = \frac{i}{o}$$

Halliday and Resnick





Gravitational Lensing Compared To Ordinary Lensing

- Difference: The effect is strongest for paths that go through the center of the lens (near the object)
- Difference: The image is not inverted
- Difference: Gravity is a long range force, so the effect is present even for paths far from the lens.
- Difference: When the rays pass near the center, you can see multiple images and rings even for simple lenses.

Halliday and Resnick







First Known Gravitational Lens: Two images of the same object (QSO 0957+0561, image HST/NASA)

Using Gravitational Lensing



- The effect depends on the mass of the lens: we can measure the mass of the lensing object!
- Lensing is especially useful for measuring dark matter. The lensing effect is present even if we can't see the mass.



Using Gravitational Lensing

- The effect depends on distances from observer to lens and between lens and source.
- We can use lensing to infer distances.
- Farther distance means farther back in time, so we can probe the expansion history of the universe and measure the effects of Dark Energy





Using Gravitational Lensing

- In practice lensing is basically sensitive to distance *ratios*, but that's useful as well.
- This shows how strong the lensing effect is for sources at different distances behind the lens



Practical Lensing Measurements

- These examples I've shown are extremely rare. Not that useful in general.
- But all objects in the universe are lensed by something. The effect is just small.
- We can use this pervasive "weak lensing" effect to measure the distribution of mass throughout the universe.

Dark Energy Survey, color image E. Sheldon

Weak Lensing

- A ray of light always looks like it came from a larger angle offset from the lens.
- But we don't know the original location, so that displacement isn't generally useful.
- However, rays are generally displaced radially, so the images of background galaxies get stretched a bit.
- This stretching we can measure, because it is coherent: all the galaxies get stretched tangentially around the lens, making a pattern.





Weak Lensing

- We can measure the stretching pattern of galaxies.
- But the effect is *super* weak. And galaxies are not round anyway, which is like extra noise on the measurement.
- We need to measure the ellipticities of millions of galaxies and look for *correlations* in their ellipticities.



What Theory Predicts

- The theory is gravity (general relativity) with dark matter, dark energy, and normal matter.
- The theory can predict (among other things):
  - How the universe expands over time.
  - How the light from distant galaxies is redshifted
  - How the matter within the universe reacts to gravity, known as “clustering”.

What Theory Predicts

- How the universe is expanding
  - For two given galaxies, the distance between changes over time $|\Delta\vec{r}(t)| = |\vec{r}_1 - \vec{r}_2|(t)$
  - The relative velocity between galaxies is larger for more separated galaxies
- How the light from distant galaxies is redshifted $z(|\Delta\vec{r}|)$
- How the matter within the universe reacts to gravity over time. Gravity pulls matter together, and the density field in the universe evolves $\rho(\vec{r}, t)$

Gravity Pulls Everything Together: Clustering



Show Movie Mellenium Simulation

What Theory Predicts

- Expansion history: $|\Delta\vec{r}(t)|$
- Redshift: $z(|\Delta\vec{r}|)$
- Density evolution: $\rho(\vec{r}, t)$
- Recall from Paul's lecture: Ω_m and Ω_Λ were basic parameters in the Freedman Equations describing the expansion of the universe.
- Using these measurements we can learn about the mean mass density in the universe Ω_m
- We can learn about the properties of dark energy, for example the density Ω_Λ

Distance, Redshift and Density

- The theory doesn't predict our particular universe
- The theory predicts *statistics* about these quantities
- Given the mean and variance of the mass density field, and the density of dark energy, it can predict
  - $\langle|\Delta\vec{r}(t)|\rangle$: Averaged over a large number of objects
  - $\langle z(|\Delta\vec{r}|)\rangle$
  - $\langle\rho(\vec{r_1})\rho(\vec{r_2})\rangle \propto \xi(|\vec{r_1} - \vec{r_2}|)$: Correlation function

Correlation Functions

- The theory predicts the correlation function of dark matter $\langle \rho(\vec{r_1})\rho(\vec{r_2}) \rangle \propto \xi(|\vec{r_1} - \vec{r_2}|)$
- For example, if a point in the universe has high density, a nearby point probably also has high density. Similarly for low density points.
- So there should generally be a positive correlation but it will decrease for points with larger separation.
- The amplitude increases over time because gravity pulls matter together, making it more spatially correlated



SDSS Galaxy Locations (M. Blanton)

Dark Matter Correlation Function

- The theory predicts the correlation function of dark matter $\langle \rho(\vec{r_1})\rho(\vec{r_2})\rangle \propto \xi(|\vec{r_1} - \vec{r_2}|)$
- Depends on the mean density and variance of the matter in the universe
- Evolution also depends on the dark energy
- Galaxies are only located at the highest density points, not ideal. But we can measure this better using gravitational lensing



A. Zentner

Dark Matter Correlation Function

- The lensing from foreground masses causes correlations in the ellipticities of background galaxies
- We can measure the correlation function in the ellipticity $\langle e(\vec{\theta_1})e(\vec{\theta_2})\rangle$
- Because the correlations in the ellipticities are caused by mass, this is closely related to the correlation function of the mass, which is what the theory predicts $\langle \rho(\vec{r_1})\rho(\vec{r_2})\rangle$



A. Zentner

Dark Matter Correlation Function

- We can do a special measurement where we look specifically around foreground objects, rather than just correlating all shapes
- Then we measure the mean amount of mass in the lens, for example galaxies.
- Can we measure the dark matter in galaxies?



Using Gravitational Lensing

- Plus, with lensing we can re-measure the signal for objects at different *redshifts* learn about their *distances* from us.
- This is especially useful for studying Dark Energy



Dark Energy Survey

- We perform weak lensing measurements using data we take with the Blanco telescope in Chile
- We built a new camera specifically to do weak lensing and study Dark Energy

Blanco Telescope in Chile (D. Lang)

Dark Energy Survey

- We perform weak lensing measurements using data we take with the Blanco telescope in Chile
- We built a new camera specifically to do weak lensing and study Dark Energy

Blanco Telescope in Chile (B. Nord)

Dark Energy Survey (E. Sheldon)

Dark Matter in Galaxies

- Measure the correlation of ellipticities with positions of galaxies
- If all the mass were in stars only, the curve would be much steeper on small scales
- On large scales the signal is due to nearby objects, but the amplitude is way too high if the mass were only from stars
- In excellent agreement with prediction of cold dark matter theory



E. Sheldon

Weak Lensing Shear Correlation Function

- Now just correlate the shapes, don't look around specific points $\langle e(\vec{\theta_1})e(\vec{\theta_2})\rangle$
- Recall this is realted to the correlation function of the density field $\langle\rho(\vec{r_1})\rho(\vec{r_2})\rangle \propto \xi(|\vec{r_1} - \vec{r_2}|)$



Dark Energy Survey

Weak Lensing Shear And Cosmology

- DES constrains Ω_m, Ω_Λ and the mass variance very well.
- Agrees with the cosmic microwave background.
- Combining the two is even better.



Dark Energy Survey

Weak Lensing Shear And Cosmology

- What about Dark Energy?
- If it is vacuum energy, we expect the density to be simply related to the pressure: $p = -\rho$.
- To test if it is different, we can try to measure $p = w\rho$, then measure w.
- So far it looks close to $w = -1$. Mostly informed by other data.



Dark Energy Survey

Weak Lensing Shear And Cosmology

- At the end of this year we will have results from a lot more lensing data from DES
- We will be able to say more about w independent of other experiments.



Dark Energy Survey

Summary

- Lensing is a powerful tool to measure mass in the universe
- We can test our theory of the universe and measure the detailed properties of dark matter and dark energy.
- Expect exciting results in the near future!

DES/Erin Sheldon