32nd International Symposium on Lattice Field Theory (Lattice 2014)



Contribution ID: 211

Type: Poster

## Optimization of Lattice QCD Calculation on GTX Titan Black GPU and Xeon Phi Coprocessor

Tuesday, 24 June 2014 18:10 (2 hours)

There are new NVIDIA technologies, such as direct parallelism and GPU Direct, which reduce the communication time between GPUs and CPUs. NVIDIA Kepler GPUs also provide new features to improve the memory usage of CUDA codes which allows better performance in memory access, memory allocation, and deallocation. We optimize our conjugate gradient code for staggered quarks to obtain the full performance of the GTX Titan black GPU. We also apply various optimization schemes to the Xeon Phi coprocessor. One is the vectorization of the code by using 512-bit SIMD instructions which is essential to the programming on the Xeon Phi. The other is hybrid programming with MPI and OpenMP. In particular, in the case of OpenMP, threads can share the memory, which can, in principle, reduce the communication overload significantly.

**Primary authors:** Mr JEONG, Hwancheol (Seoul National University); Mr PAK, Jeonghwan (Seoul National University); Prof. LEE, Weonjong (Seoul National University); Ms CHUNG, Yuree (Hankuk academy of foreign studies)

Presenter: Mr PAK, Jeonghwan (Seoul National University)

Session Classification: Poster session

Track Classification: Algorithms and Machines