

DE LA RECHERCHE À L'INDUSTRIE



www.cea.fr

Pu239

Resolved Resonance Range

Contribution CEA Cadarache

CSWEG/CIELO, 3-5 November 2014, BNL, USA

- Thermal quantity and resonance integral
- Performance of JEFF-311 and JEFF-32 on PST and MOX fuel calculations
- PFNS issues for CIELO
- Thermal fission cross section and nubar
- Target uncertainty for the capture cross section
- Extension of the Resolved Resonance Range up to 4.5 keV

Quantity	Atlas	JEFF-32 (=SG34)	P. Romano C. Lubitz	D. Rochman « run 6174 »
Thermal fission cross section	748.1±2.0 (0.3%)	747.2±6.7 (0.9%)	747.2	771.7
Thermal capture cross section	269.3±2.9 (1.1%)	270.1±11.9 (4.4%)	270.1	271.0
Fission resonance integral	303±10 (3.3%)	308.8±7.1 (2.3%)	308.3	309.1
Capture resonance integral	180±20 (11.1%)	180.1±10.3 (5.7%)	180.0	182.2
Thermal fission nubar	2.879±0.006 (0.2%)	2.875	2.875	2.871
Equivalent K1	1177.0	1161.5±19.7 (1.7%)	1161.4	1209.0

NB: performances of « run 6174 » were discussed during the PND-2 workshop:
ftp://ftp.nrg.eu/pub/www/talys/bib_rochman/tendl.bruyeres.oct.2014.pdf

Performance of JEFF-311 and JEFF-32 : PST/MOX calculations

Quantity	Atlas	JEFF-32 (=SG34)	P. Romano C. Lubitz	D. Rochman « run 6174 »
Thermal fission cross section	748.1±2.0 (0.3%)	747.2±6.7 (0.9%)	747.2	771.7
Thermal capture cross section	269.3±2.9 (1.1%)	270.1±11.9 (4.4%)	270.1	271.0
Fission resonance integral	303±10 (3.3%)	308.8±7.1 (2.3%)	308.3	309.1
Capture resonance integral	180±20 (11.1%)	180.1±10.3 (5.7%)	180.0	182.2
Thermal fission nubar	2.879±0.006 (0.2%)	2.875	2.875	2.871
Equivalent K1	1177.0	1161.5±19.7 (1.7%)	1161.4	1209.0

Excellent performance of JEFF-32 for MOX fuel calculations ⇒ PST, EOLE, MINERVE

Performance of JEFF-311 : PST calculations

S. C. van der Marck
Nucl. Data Sheets 113 (2012) 2935

(average value over 368 PST)

WPEC/SG34 $\Rightarrow$ the **non-regression** of the Pu239 nuclear data was continuously monitored during the evaluation procedure with a selected set of ICSBEP benchmarks

Crucial step to conserve the good performances of the JEFF library on PST benchmarks

TABLE XIX: The average values for $C/E - 1$ (in pcm) for ENDF/B-VII.1 per main ICSBEP benchmark category.

	COMP				MET				SOL	MIXED	
	therm	inter	fast	mixed	therm	inter	fast	mixed	therm	therm	fast
LEU	-80				553				133		
IEU	101	-253	-70				103		396		
HEU	746	2112		-892	130	-65	114	844	16		
MIX	402		16				418		-194	322	-845
PU		1119		1960		2950	164	921	462		
U233	23						-220		549		

TABLE XX: The average values for $C/E - 1$ (in pcm) for JENDL-4.0 per main ICSBEP benchmark category.

	COMP				MET				SOL	MIXED	
	therm	inter	fast	mixed	therm	inter	fast	mixed	therm	therm	fast
LEU	-29				736				-90		
IEU	87	-257	-209				-435		487		
HEU	985	2982		-497	397	209	31	948	197		
MIX	501		446				194		46	588	-591
PU		1376		2030		3529	0	970	633		
U233	25						-195		177		

TABLE XXI: The average values for $C/E - 1$ (in pcm) for JEFF-3.1.1 per main ICSBEP benchmark category.

	COMP				MET				SOL	MIXED	
	therm	inter	fast	mixed	therm	inter	fast	mixed	therm	therm	fast
LEU	-52				527				179		
IEU	-107	-468	258				-180		425		
HEU	381	1912		-1221	-45	145	-106	628	-56		
MIX	258		300				251		-274	87	-867
PU		692		1852		3275	95	478	203		
U233	-312						363		247		

Performance of JEFF-32 : PST calculations

S. C. van der Marck
Nucl. Data Sheets 113 (2012) 2935

(average value over 368 PST)




TABLE XXI: The average values for $C/E - 1$ (in pcm) for JEFF-3.1.1 per main ICSBEP benchmark category.

	COMP				MET				SOL		MIXED	
	therm	inter	fast	mixed	therm	inter	fast	mixed	therm	therm	fast	fast
LEU	-52				527				179			
IEU	-107	-468	258				-180		425			
HEU	381	1912		-1221	-45	145	-106	628	-56			
MIX	258		300				251		-374	87	-867	
PU		692		1852	3275	95	478	203				
U233	-312					363			237			


Y. Penelieu , JEFFDOC-1583, 2014
O. Caballos, JEFFDOC-1532, 2014

JEFF-311 and JEFF-32 $\Rightarrow$ **Similar results for Plutonium in THERM spectrum**

Performance of JEFF-32 : MOX calculations

Integral experiments carried out in the EOLE reactor of CEA Cadarache

Interpretation with the Monte-Carlo and deterministic codes TRIPOLI and APOLLO




Several experimental programs were conducted by CEA to investigate the use of MOX fuel in commercial PWRs or innovative concepts for various moderation ratios

Performance of JEFF-32 : MOX calculations

Integral experiments carried out in the EOLE reactor of CEA Cadarache

Interpretation with the Monte-Carlo and deterministic codes TRIPOLI and APOLLO



Average value obtained with JEFF-32 $\Rightarrow \langle C-E \rangle = +50 \text{ pcm}$ with a standard deviation of **180 pcm**

PFNS issues for CIELO

Quantity	Atlas	JEFF-32 (=SG34)	P. Romano C. Lubitz	D. Rochman « run 6174 »
Thermal fission cross section	748.1±2.0 (0.3%)	747.2±6.7 (0.9%)	747.2	771.7
Thermal capture cross section	269.3±2.9 (1.1%)	270.1±11.9 (4.4%)	270.1	271.0
Fission resonance integral	303±10 (3.3%)	308.8±7.1 (2.3%)	308.3	309.1
Capture resonance integral	180±20 (11.1%)	180.1±10.3 (5.7%)	180.0	182.2
Thermal fission nubar	2.879±0.006 (0.2%)	2.875	2.875	2.871
Equivalent K1	1177.0	1161.5±19.7 (1.7%)	1161.4	1209.0

Strategy for CIELO ? ⇒ use SG34 with adjusted Prompt Fission Neutron Spectrum

Impact of the mean neutron energy uncertainty on PST calculations

Y. Penelieu et al., Pu239 Prompt Fission Neutron Spectra Impact on a Set of Criticality and Experimental Reactor Benchmarks, ND2013 (2013)

Authors	years	$\langle E \rangle$	$\Delta[\langle E(\text{PFNS}) \rangle, \langle E(\text{JEFF-32}) \rangle]$	$\Delta[k_{\text{eff}}(\text{PFNS}), k_{\text{eff}}(\text{JEFF-32})]$
N. Kornilov	2008	2,055	-2,8%	+680 pcm
L. Berge	2014	2,087	-1,2%	+316 pcm
V. Maslov	2008	2,092	-1,0%	+250 pcm
JEFF-32	2013	2,113	0%	0 pcm
P. Romano	2014	2,122	+0,4%	-90 pcm
O. Serot	2013	2,140	+1,3%	-290 pcm
D. Rochman	2014	2,195	+3,9%	-890 pcm


Impact of the mean neutron energy uncertainty on PST calculations

Y. Penelieu et al., Pu239 Prompt Fission Neutron Spectra Impact on a Set of Criticality and Experimental Reactor Benchmarks, ND2013 (2013)

Authors	years	$\langle E \rangle$	$\Delta[\langle E(\text{PFNS}) \rangle, \langle E(\text{JEFF-32}) \rangle]$	$\Delta[k_{\text{eff}}(\text{PFNS}), k_{\text{eff}}(\text{JEFF-32})]$
N. Kornilov	2008	2,055	-2,8%	+680 pcm
L. Berge	2014	2,087	-1,2%	+316 pcm
V. Maslov	2008	2,092	-1,0%	+250 pcm
JEFF-32	2013	2,113	0%	0 pcm
P. Romano	2014	2,122	+0,4%	-90 pcm
O. Serot	2013	2,140	+1,3%	-290 pcm
D. Rochman	2014	2,195	+3,9%	-890 pcm


Uncertainty suggested by R. Capote $\Rightarrow \Delta\langle E \rangle = \pm 1.5\% \Rightarrow \Delta k_{\text{eff}}(\text{PST}) \approx \pm 300 \text{ pcm}$

Impact of the mean neutron energy uncertainty on PST calculations



Ajustement of the mean neutron energy with PST $\Rightarrow$ **not recommended !**

Impact of the mean neutron energy uncertainty on MOX fuel calculations



mean neutron energy uncertainty $\Rightarrow$ **negligible impact on EOLE benchmarks**

Thermal fission cross section and nubar

Quantity	Atlas	JEFF-32 (=SG34)	P. Romano C. Lubitz	D. Rochman « run 6174 »
Thermal fission cross section	748.1±2.0 (0.3%)	747.2±6.7 (0.9%)	747.2	771.7
Thermal capture cross section	269.3±2.9 (1.1%)	270.1±11.9 (4.4%)	270.1	271.0
Fission resonance integral	303±10 (3.3%)	308.8±7.1 (2.3%)	308.3	309.1
Capture resonance integral	180±20 (11.1%)	180.1±10.3 (5.7%)	180.0	182.2
Thermal fission nubar	2.879±0.006 (0.2%)	2.875	2.875	2.871
Equivalent K1	1177.0	1161.5±19.7 (1.7%)	1161.4	1209.0



TENDL corrections seem to be too high ⇒ Cf. interpretation CERES-PU experiment

the complete file should be "discussed"

Thermal fission cross section and nubar

CERES program (P. Leconte, PHYSOR 2014)

- Collaboration between Winfrith and Cadarache (1992-1995) as part of the CEA/UKAEA collaboration on LWRs
- Experiments conducted in the DIMPLE (AEA) and MINERVE (CEA) reactors on common samples, manufactured both at Cadarache and Winfrith
- Reactivity-worth measurements of fresh MOX fuel samples provided by CEA and AEA



Thermal fission cross section and nubar

Integral results for $\nu\Sigma_f$ (SG-34)

@ P. Leconte

Reactivity breakdown (TOT=100)

^{239}Pu	Σ_a	-9.0
	$\nu\Sigma_f$	98.5
^{240}Pu	Σ_a	-0.9
^{241}Pu	Σ_a	-1.0
	$\nu\Sigma_f$	12.3

Reactivity breakdown (TOT=100)

^{239}Pu	Σ_a	-17.8
	$\nu\Sigma_f$	118.0
^{240}Pu	Σ_a	-0.3
^{241}Pu	Σ_a	
	$\nu\Sigma_f$	0.1

Sample (Reference)	Full Monte Carlo Method C/E-1 (%)			
	Assembly-I	Assembly-II	Assembly-III	R1UO2
MOX1 (CEAU11)	3.0 ± 4.9	3.6 ± 9.3	10.9 ± 6.6	197 ± 9274
MOX2 (CEAU11)	0.7 ± 3.2	34.2 ± 22.8	5.7 ± 4.0	-59.2 ± 6.1
MOX3 (CEAU11)	0.8 ± 1.7	18.2 ± 4.8	2.9 ± 1.8	-79.6 ± 7.4
MOX4 (CEAU11)	-0.7 ± 1.5	9.6 ± 2.9	0.1 ± 1.3	-98 ± 8.7
MOX5 (CEAU11)	-1.1 ± 1.3	5.1 ± 1.5	-1.3 ± 1.1	97 ± 13.2
MOX6 (CEAU11)	-1.5 ± 1.2	1.4 ± 1.2		42 ± 7.8
Pu0403 (UO2nat)	-2.4 ± 1.5	-1.1 ± 4.0	-2.9 ± 2.4	-7.1 ± 4.5
Pu0413 (UO2nat)	-2.9 ± 1.7	-7.6 ± 6.8	-5.6 ± 2.6	-21.3 ± 10.2
Pu0426 (UO2nat)	-6.6 ± 1.6	-23 ± 5044	-8.1 ± 3.1	-93 ± 154
Pu2003 (UO2nat)	1.1 ± 1.4	0.1 ± 1.5	-0.7 ± 1.3	-7.7 ± 2.5
Pu2013 (UO2nat)	0.4 ± 1.4	3.0 ± 2.0	-0.8 ± 1.3	1.7 ± 3.9
Pu2026 (UO2nat)	1.1 ± 1.4	22.4 ± 5.1	2.1 ± 1.5	-140 ± 22

Reactivity breakdown (TOT=100)

^{239}Pu	Σ_a	-17.9
	$\nu\Sigma_f$	118.7
^{240}Pu	Σ_a	-2.1
^{241}Pu	Σ_a	-0.3
	$\nu\Sigma_f$	2.0

Mean value = $-1.0 \pm 0.5 \%$
(standard deviation : 2.5%)

SG34 seems to be Ok !

Thermal fission cross section and nubar

Integral results for K1 (SG-34)

@ P. Leconte

Reactivity breakdown (TOT=100)

²³⁹ Pu	Σ_a	-88.2
	$\nu\Sigma_f$	185.5
²⁴⁰ Pu	Σ_a	-7.9
²⁴¹ Pu	Σ_a	-10.3
	$\nu\Sigma_f$	23.5

Sample (Reference)	Full Monte Carlo Method C/E-1 (%)			
	Assembly-I	Assembly-II	Assembly-III	R1UO2
MOX1 (CEAU11)	3.0 ± 4.9	3.6 ± 9.3	10.9 ± 6.6	197 ± 9274
MOX2 (CEAU11)	0.7 ± 3.2	34.2 ± 22.8	5.7 ± 4.0	-59.2 ± 6.1
MOX3 (CEAU11)	0.8 ± 1.7	18.2 ± 4.8	2.9 ± 1.8	-79.6 ± 7.4
MOX4 (CEAU11)	-0.7 ± 1.5	9.6 ± 2.9	0.1 ± 1.3	-98 ± 8.7
MOX5 (CEAU11)	-1.1 ± 1.3	5.1 ± 1.5	-1.3 ± 1.1	97 ± 13.2
MOX6 (CEAU11)	-1.5 ± 1.2	1.4 ± 1.2		42 ± 7.8
Pu0403 (UO2nat)	-2.4 ± 1.5	-1.1 ± 4.0	-2.9 ± 2.4	-7.1 ± 4.5
Pu0413 (UO2nat)	-2.9 ± 1.7	-7.6 ± 6.8	-5.6 ± 2.6	-21.3 ± 10.2
Pu0426 (UO2nat)	-6.6 ± 1.6	-23 ± 5044	-8.1 ± 3.1	-93 ± 154
Pu2003 (UO2nat)	1.1 ± 1.4	0.1 ± 1.5	-0.7 ± 1.3	-7.7 ± 2.5
Pu2013 (UO2nat)	0.4 ± 1.4	3.0 ± 2.0	-0.8 ± 1.3	1.7 ± 3.9
Pu2026 (UO2nat)	1.1 ± 1.4	22.4 ± 5.1	2.1 ± 1.5	-140 ± 22

Reactivity breakdown (TOT=100)

²³⁹ Pu	Σ_a	-100.8
	$\nu\Sigma_f$	202.4
²⁴⁰ Pu	Σ_a	-1.6
²⁴¹ Pu	Σ_a	
	$\nu\Sigma_f$	0.1

Reactivity breakdown (TOT=100)

²³⁹ Pu	Σ_a	-113.6
	$\nu\Sigma_f$	228.2
²⁴⁰ Pu	Σ_a	-13.9
²⁴¹ Pu	Σ_a	-1.8
	$\nu\Sigma_f$	3.8

SG34 seems to be Ok !

Mean value = -0.4 ± 0.5 %
(standard deviation : 5.2%)

Target uncertainty for the capture cross section



Quantity	Atlas	JEFF-32 (=SG34)	P. Romano C. Lubitz	D. Rochman « run 6174 »
Thermal fission cross section	748.1±2.0 (0.3%)	747.2±6.7 (0.9%)	747.2	771.7
Thermal capture cross section	269.3±2.9 (1.1%)	270.1±11.9 (4.4%)	270.1	271.0
Fission resonance integral	303±10 (3.3%)	308.8±7.1 (2.3%)	308.3	309.1
Capture resonance integral	180±20 (11.1%)	180.1±10.3 (5.7%)	180.0	182.2
Thermal fission nubar	2.879±0.006 (0.2%)	2.875	2.875	2.871
Equivalent K1	1177.0	1161.5±19.7 (1.7%)	1161.4	1209.0

Reduction of the uncertainties ⇒ Integral Data Assimilation procedure of CONRAD

Target uncertainty for the capture cross section

Propagation of the Pu239 resonance parameter uncertainties on EOLE benchmarks



Final uncertainty (**≈ 1000 pcm**) $\Rightarrow$ dominated by the capture cross section uncertainties



Target uncertainty for the capture cross section



Propagation of the Pu239 resonance parameter uncertainties on EOLE benchmarks

Final uncertainty (**≈400 pcm**) after the Integral Data Assimilation of CERES (P. Leconte)



Target uncertainty for the capture cross section

Significant reduction of the Pu239 capture cross section uncertainties at low neutron energy





Target uncertainty for the capture cross section

Final uncertainties after the Integral Data Assimilation of the CERES program

	JEFF-3.2 (=SG34)	Relative uncertainty	
		JEFF-3.2	This work
σ_f	747.2 barns	0.9%	0.7%
σ_γ	270.1 barns	4.4%	1.6%
I_f	308.8 barns	2.3%	2.3%
I_γ	180.1 barns	5.7%	5.7%
K1	1161.5 barns	1.7%	0.9%

Extension of the RRR up to 4.5 keV


Fluctuations between 2.5 keV - 4.5 keV not taken into account via statistical calculations



Fluctuations observed in JEFF-311 $\Rightarrow$ **confirmed by Toveson data (2010, LANL)**


Extension of the RRR up to 4.5 keV

Random generation of resonance ladders by using URR parameters from JEFF-311




Extension of the RRR up to 4.5 keV

Random generation of resonance ladders by using URR parameters from JEFF-311




JEFF-32 underestimates the data



Préliminary set of resonance ladders

Extension of the RRR up to 4.5 keV

Impact of the fluctuations in integral benchmarks



Our preliminary sets of resonance ladders (generated by CALENDF and CadTool) overestimate the impact of the fluctuations

Adjustement of the URR parameters in progress with the CONRAD/TALYS codes

Significant impact (≈ 200 pcm) on SNEAK7A and SNEAK7B $\Rightarrow$ **sodium free configurations**

☒ Integral Data Assimilation of CERES

⇒ reduction of the capture cross section uncertainty ($\pm 1.6\%$)

☒ Contribution of the neutron cross sections (COMAC-V1)

⇒ $\Delta\rho \approx \pm 400\text{pcm}$ (for thermal systems)

☒ Contribution of PFNS

⇒ $\Delta\rho \approx \pm 300\text{pcm}$ (for PST), $\Delta\rho \approx \pm 50\text{pcm}$ (for EOLE)

☐ Contributions of URR fluctuations (in progress)

⇒ $\Delta\rho < 100\text{ pcm}$ (with Na), $\Delta\rho \approx \pm 200\text{ pcm}$ (without Na)

☐ Contributions of the (n, γ f) reaction

⇒ to be investigated ...