




The Atomic Mass Evaluation & NUBASE: Status and Perspectives



Filip G. Kondev
kondev@anl.gov

Introduction

□ Binding energies

- ✓ mass models
- ✓ shell structure

□ Correlations

- ✓ pairing
- ✓ p-n


□ Reaction & decay phase space

- ✓ Q values
- ✓ decay & reaction probabilities

□ The limits of existence

- ✓ drip lines
- ✓ specific configurations and topologies



$$E=mc^2$$



Experimental Data

❑ Indirect methods:

- ✓ Reaction Energies – $A(a,b)B$: $Q_r = M_A + M_a - M_b - M_B$
 - (n,γ) and (p,γ) are the backbone
 - self-calibrated - $A(a,b)B$ vs. $C(a,b)D$
 - close to stability
- ✓ Decay Energies in β^- , α and p decays
 - far from stability – α and p (proton-rich) & Q_{β^-} neutron-rich



❑ Direct methods:

- ✓ various mass spectrometry techniques using TOF, Penning Traps, Storage Rings spectrometers, etc.
 - far from stability
 - high precision




Experimental Data – cont.




$m \sim 1 \text{ g}$ (bean seed)

$$m/M = 1 \text{ g} / 5 \times 10^8 \text{ g} = 5 \times 10^{-9}$$



$M \sim 500 \text{ t} = 5 \times 10^8 \text{ g}$
(Dreamliner)



Not fully up to date.

Atomic Mass Evaluation

- combining the experimental results from different techniques and those from different laboratories (using similar techniques) -> using the least-square method (developed by A.H. Wapstra)
 - ✓ recommended (best) values for the atomic masses and their uncertainties
 - ✓ extrapolation to the extremes using the smoothness of the mass surface

Ame1955, Ame1961, Ame1964, Ame1971, Ame1977


Ame1983, Ame1993, Ame2003 -> A.H. Wapstra & G. Audi

Ame2012




G. Audi*

M. MacCormick



M. Wang & X. Xu





B. Pfeiffer



F.G. Kondev



December 2012 issue of Chinese Physics C (IOP Science)



3711 Masses

2416 known ground state


232 known isomers

1063 extrapolated


- ☐ significant improvement compared to AME2003
 - ✓ more nuclei (more than 150)
 - ✓ better precision – availability of Penning trap and storage rings mass measurements

AME2012 – cont.

13809 input equations in **AME12**
5275 mass spectrometry
8534 reactions & decays



J. Van Schelt et al., PRL111 (2013) 061102




^{179}Tl
 1.41 ms
 (11/2⁻) 825 480 ms
 1/2⁺ 0

^{175}Au
 172
 (11/2⁻) 134 ms
 1/2⁺ 188 ms 0

^{171}Ir
 171
 (11/2⁻) 1.47 s
 1/2⁺ 3.1 s 0

^{167}Re
 136
 1/2⁺ 5.9 s
 (11/2⁻) 92
 (9/2⁻) 0 3.4s

F.G. Kondev et al., EPJ (2013)



Beware of ... Isomers
 Do we have the right relation?

- ✓ Excitation energy
- ✓ Lifetime
- ✓ Decay mode

NUBASE2012 – cont.

CPC(HEP & NP), 2012, 36(12): 1157–1286

Chinese Physics C

Vol. 36, No. 12, Dec., 2012

The NUBASE2012 evaluation of nuclear properties*


G. Audi^{1,§}, F.G. Kondev², M. Wang^{1,3,4}, B. Pfeiffer^{5,‡}, X. Sun¹, J. Blachot¹, and M. MacCormick⁶

□ Ex , J^π , $T_{1/2}$ & decay modes

□ both ground state & Isomers
($T_{1/2} > 100\text{ns}$)

□ independently evaluated data

- ✓ complete
- ✓ up-to-date
- ✓ credible & reliable
- ✓ properly referenced



The NUBASE2012 evaluation of nuclear properties*

G. Audi^{1,§}, F.G. Kondev², M. Wang^{1,3,4}, B. Pfeiffer^{5,‡}, X. Sun¹, J. Blachot¹, and M. MacCormick⁶

80 citations (<2 years)

Ex,
J^π,
T_{1/2},
decay modes:
β-n, β-2n,
ECp, EC2p,...

nuclear structure &
astrophysics

NUBASE12	ground state	isomers
# of cases	3316	1827
stable	286	1
with Jπ	3043 (92%)	1681 (92%)
with T _{1/2}	3288 (99%)	1787 (98%)
with T _{1/2} (exp)	2892 (87%)	1680 (92%)
β-	1343	205
β-n	583	20
EC+β+	1404	355
ECp	132	28
α	852	195



Future Perspective

Change in coordination:

G. Audi officially retired from CNSNM-Orsay (October 13)

- ✓ retain emeritus scientist status
- ✓ continue contributing for the next release (and foreseen future)


W. Meng, IMP, Lanzhou



中国科学院近代物理研究所
Institute of Modern Physics, Chinese Academy of Sciences

<http://ribll.impcas.ac.cn/ame/>

Change in collaboration:



G. Audi

M. MacCormick

M. Wang*

F.G. Kondev


S. Naimi ?



Future Perspective


Next Tables are foreseen for release in 2016:

- ✓ envisioned to be an electronic update only
- ✓ correlations (new challenges): storage ring mass measurements
- ✓ extension of NuBase – isomers, moments, directly measured J^π ...



AME12

FRS-ESR data




Conclusions

- ❑ The new AME12 & NuBase12 evaluations have been completed and released – significant improvement compare to the previous AME03 and NuBase03 evaluations – more nuclei & better precision
- ❑ Rising of the wings – Q_{β} 's often underestimated – r-process path less far from stability
- ❑ Individual files are available for download (ascii):
 - <http://ribll.impcas.ac.cn/ame/>
 - ✓ mass.mass12
 - ✓ nubase.mass12
- If you need a hard copy – please contact me: kondev@anl.gov
- ❑ Next tables are foreseen in 2016 (electronic publication only)
- ❑ The AMDC coordination at IMP-Lanzhou (Mang Weng)



Implications for ENSDF

❑ A-chain (β -Chain) vs α -Chain



❑ synchronization of Q record in ENSDF

