

XXVIII International Workshop on Deep-Inelastic Scattering and Related Subjects



Contribution ID: 417

Type: **Contributed Talk**

Helicity at Small x : LLA Corrections

Wednesday, 14 April 2021 13:45 (18 minutes)

The small- x quark helicity evolution equations at double-logarithmic order, with the kernel $\sim \alpha_s \ln^2(1/x)$, had been derived previously, and the equations were solved analytically at large N_c and numerically at large N_c and N_f . (Here, N_c and N_f are the numbers of quark colors and flavors, respectively.) In this work, we derive the single-logarithmic corrections to the double-logarithmic equations derived previously, that is, we find the correction to order $\alpha_s \ln(1/x)$ of the evolution kernel. The new equations include the effects of the running coupling and the unpolarized small- x evolution, both of which are parametrically significant at single-logarithmic order. The large- N_c and large- $N_c \& N_f$ approximations to the equation are computed. Their solution will provide a more precise estimate of the quark helicity distribution at small x , contributing to the resolution of the proton spin puzzle.

Primary authors: TAWABUTR, Yossathorn (The Ohio State University); KOVCHEGOV, Yuri (The Ohio State University); TARASOV, Andrey (The Ohio State University)

Presenter: TAWABUTR, Yossathorn (The Ohio State University)

Session Classification: Spin Physics

Track Classification: Spin Physics